

Radiative Transfer of Type 1a Supernovae

A Detailed Spectral Line Analysis

Dr. Edward Baron, Christopher Cain

Homer L. Dodge Department of Physics and Astronomy
University of Oklahoma

June 15, 2017

What is a Supernova?

- Supernovae occur when stars, commonly either White Dwarfs or Red Giants, destabilize and explode.

What is a Supernova?

- Supernovae occur when stars, commonly either White Dwarfs or Red Giants, destabilize and explode.
- Sometimes result from binary mergers (two stars collide).

What is a Supernova?

- Supernovae occur when stars, commonly either White Dwarfs or Red Giants, destabilize and explode.
- Sometimes result from binary mergers (two stars collide).
- Type 1a Supernovae are highly homogeneous, which makes them good reference points (“standard candles”).

What is a Supernova?

- Supernovae occur when stars, commonly either White Dwarfs or Red Giants, destabilize and explode.
- Sometimes result from binary mergers (two stars collide).
- Type 1a Supernovae are highly homogeneous, which makes them good reference points (“standard candles”).



Radiative Transfer

- Radiative transfer theory deals with how EM radiation interacts with materials as it moves through space.

Radiative Transfer

- Radiative transfer theory deals with how EM radiation interacts with materials as it moves through space.
- Modeling this process in a supernova can help give insight into its physical properties.

Radiative Transfer

- Radiative transfer theory deals with how EM radiation interacts with materials as it moves through space.
- Modeling this process in a supernova can help give insight into its physical properties.
- ① What is the composition and speed of the ejecta? (abundance distribution)

Radiative Transfer

- Radiative transfer theory deals with how EM radiation interacts with materials as it moves through space.
- Modeling this process in a supernova can help give insight into its physical properties.
 - 1 What is the composition and speed of the ejecta? (abundance distribution)
 - 2 What is the optical depth (thickness) of each element?

Radiative Transfer

- Radiative transfer theory deals with how EM radiation interacts with materials as it moves through space.
- Modeling this process in a supernova can help give insight into its physical properties.
 - 1 What is the composition and speed of the ejecta? (abundance distribution)
 - 2 What is the optical depth (thickness) of each element?
 - 3 How do these properties evolve in time?

Spectral Line Analysis


- Absorption and emission lines form in the ejecta above the photosphere (opaque surface).

Spectral Line Analysis

- Absorption and emission lines form in the ejecta above the photosphere (opaque surface).
- Lines form at different wavelengths for different elements.

Spectral Line Analysis

- Absorption and emission lines form in the ejecta above the photosphere (opaque surface).
- Lines form at different wavelengths for different elements.



SYNOW


- SYNOW (SYnthetic NOW) is a tool for estimating physical characteristics of supernovae based on observed power spectra.

SYNOW

- SYNOW (SYnthetic NOW) is a tool for estimating physical characteristics of supernovae based on observed power spectra.
- Main feature: SYNOW accounts for “multiple scattering”.

SYNOW


- SYNOW (SYnthetic NOW) is a tool for estimating physical characteristics of supernovae based on observed power spectra.
- Main feature: SYNOW accounts for “multiple scattering”.



The Data

- SYNOW takes in a set of parameters, simulates a supernova, and outputs a synthetic spectrum.

- SYNOW takes in a set of parameters, simulates a supernova, and outputs a synthetic spectrum.



Goals for the Summer

- Use SYNOW to estimate parameters for SN2012fr.

Goals for the Summer


- Use SYNOW to estimate parameters for SN2012fr.
- Check these results using more robust techniques.

Goals for the Summer

- Use SYNOW to estimate parameters for SN2012fr.
- Check these results using more robust techniques.
- Focus on the velocity evolution of Silicon, which believed to be unusual in SN2012fr.

Goals for the Summer

- Use SYNOW to estimate parameters for SN2012fr.
- Check these results using more robust techniques.
- Focus on the velocity evolution of Silicon, which believed to be unusual in SN2012fr.



Thank You!