

A not very Short Introduction to $\text{\LaTeX} 2_{\epsilon}$

Tobias Oetiker

Hubert Partl

Irene Hyna

Elisabeth Schlegl

Version 1.1

November 21, 1994

\LaTeX [1] is a typesetting system which is most suited to producing scientific and mathematical documents of high typographical quality. The system is also suitable for producing all sorts of other documents, from simple letters to complete books. \LaTeX uses \TeX [2] as its formatting engine.

This short introduction describes $\text{\LaTeX} 2_{\epsilon}$ and should be sufficient for most applications of \LaTeX . For a complete description of the \LaTeX system refer to [1, 3].

\LaTeX is available for most computers from the IBM PC upwards. On many university computer networks the system is already installed, ready to operate. Information on how to access the local \LaTeX installation should be provided in the *Local Guide* [4]. If you have problems getting started, ask the person who gave you this booklet. The scope of this document is *not* to tell you how to install and set up a \LaTeX system, but to teach you how to write your documents so that they can be processed by \LaTeX .

If you need to get hold of any \LaTeX related material, have a look in one of the CTAN ftp archives. For the US it is at `ftp.shsu.edu`, for Germany it is `ftp.dante.de` and for the UK it is `ftp.tex.ac.uk`. If you are not in one of these countries, choose the archive closest to you.

Much of the material used in this introduction comes from an Austrian introduction to L^AT_EX 2.09 written in German by:

Hubert Partl <partl@mail.boku.ac.at>
Zentraler Informatikdienst der Universität für Bodenkultur Wien
 Irene Hyna <bmwf.ac.at>
Bundesministerium für Wissenschaft und Forschung Wien
 Elisabeth Schlegl <no email>
in Graz

If you are interested in the German document you can find a version updated for L^AT_EX 2_ε by Jörg Knappen at CTAN:/tex-archive/info/lkurz

While preparing this document I asked for reviewers on `comp.text.tex`. I got a lot of response. The following individuals helped with corrections, suggestions and material to improve this paper. They put in a big effort to help me getting this document into its present shape. I would like to sincerely thank all of them.

David Carlisle, Chris McCormack, Rosemary Bailey,
 Robin Fairbairns, Alexandre Guimond, Neil Hammond,
 Rasmus Borup Hansen, Eric Jacoboni, Alan Jeffrey,
 Jörg Knappen, Maik Lehradt, Hubert Partl, John Reffing,
 Mike Ressler, Cris Rowley, and Craig Schlenter.

If you have ideas for something to be added, removed or altered in this document, please let me know. I am especially interested in feedback from L^AT_EX novices about which bits of this intro are easy to understand and which could be explained better.

Tobias Oetiker <tobias@ife.ee.ethz.ch or oetiker@dmu.ac.uk>
*Electronics Laboratory, Swiss Federal Institute of Technology and
 Network Support Group, De Montfort University Leicester*

The current version of this document will be available on
CTAN:/tex-archive/info/lshort

This document has been typeset with the L^AT_EX 2_ε article document class

Contents

1	Things You Need to Know	6
1.1	The Name of the Game	6
1.1.1	TEX	6
1.1.2	L ^A T _E X	6
1.2	Basics	6
1.2.1	Author, Book Designer, and Typesetter	6
1.2.2	Layout Design	7
1.2.3	Advantages and Disadvantages	7
1.3	L ^A T _E X Input Files	8
1.3.1	Spaces	8
1.3.2	Special Characters	9
1.3.3	L ^A T _E X Commands	9
1.3.4	Comments	10
1.3.5	Input File Structure	10
1.4	The Layout of the Document	11
1.4.1	Document Classes	11
1.4.2	Packages	12
1.4.3	Page Styles	15
2	Typesetting Text	16
2.1	Linebreaking and Pagebreaking	16
2.1.1	Justified Paragraphs	16
2.1.2	Hyphenation	16
2.2	Special Characters and Symbols	17
2.2.1	Quotation Marks	17
2.2.2	Dashes and Hyphens	17
2.2.3	Ellipsis (. . .)	18
2.2.4	Ligatures	18
2.2.5	Accents and Special Characters	18
2.3	International Language Support	19
2.4	The Space between Words	20
2.5	Titles, Chapters, and Sections	20
2.6	Cross References	22
2.7	Footnotes	22
2.8	Emphasised Words	22
2.9	Environments	23
2.9.1	Quote, Quotation, and Verse	23
2.9.2	Itemise, Enumerate, and Description	24
2.9.3	Flushleft, Flushright, and Center	24
2.9.4	Printing Verbatim	25
2.9.5	Tabular	25
2.10	Floating Bodies	27

3	Typesetting Mathematical Formulae	30
3.1	General	30
3.2	Grouping in Math Mode	31
3.3	Building Blocks of a Mathematical Formula	31
3.4	Math Spacing	34
3.5	Vertically Aligned Material	35
3.6	Math Font Size	36
3.7	List of Mathematical Symbols	37
4	Specialities	44
4.1	Fonts and Sizes	44
4.2	Spacing	46
4.2.1	Line Spacing	46
4.2.2	Paragraph Formatting	46
4.2.3	Horizontal Space	47
4.2.4	Vertical Space	47
4.3	Bibliography	48
4.4	Indexing	49
4.5	Including EPS Graphics	50

List of Figures

1	A Minimal L ^A T _E X File	11
2	Example of a Realistic Journal Article	11

List of Tables

1	Document Classes	12
2	Document Class Options	13
3	Some of the Packages Distributed with L ^A T _E X	14
4	The Predefined Page Styles of L ^A T _E X	15
5	Accents and Special Characters	19
6	Float Placing Permissions	28
7	Math Mode Accents	37
8	Lowercase Greek Letters	37
9	Uppercase Greek Letters	37
10	Miscellaneous Symbols	38
11	BIG Operators	38
12	Binary Operators	38
13	Relation Symbols	39
14	Arrows	39
15	Delimiters	40
16	Large Delimiters	40

17	Non-Mathematical Symbols	40
18	AMS Delimiters	40
19	AMS Negated Arrows	40
20	AMS Greek	40
21	AMS Hebrew	41
22	AMS Arrows	41
23	AMS Miscellaneous	41
24	AMS Binary Operators	42
25	AMS Binary Relations	42
26	AMS Negated Binary Relations	43
27	Math Alphabets	43
28	Fonts	44
29	Font sizes	45
30	Math fonts	45
31	TeX Units	48
32	Index Key Syntax Examples	49
33	Key Names for graphicx Package	51

1 Things You Need to Know

1.1 The Name of the Game

1.1.1 T_EX

T_EX is a computer program by Donald E. Knuth [2]. It is aimed at typesetting text and mathematical formulae.

T_EX is pronounced “Tech,” with a “ch” as in the German word “Ach” or in Scottish “Loch.” In an ASCII environment T_EX becomes TeX.

1.1.2 L^AT_EX

L^AT_EX is a macro package which enables authors to typeset and print their work at the highest typographical quality, using a predefined, professional layout. L^AT_EX was originally written by Leslie Lamport [1]. It uses the T_EX formatter as its typesetting engine.

Recently the L^AT_EX package has been updated by the L^AT_EX3 team, led by Frank Mittelbach, to include some long-requested improvements and to reunify all the patched versions which have cropped up since the release of L^AT_EX 2.09 some years ago. To distinguish the new version from the old, it is called L^AT_EX 2_ε. This documentation deals with L^AT_EX 2_ε.

L^AT_EX is pronounced “Lay-tech.” If you refer to L^AT_EX in an ASCII environment you type LaTeX. L^AT_EX 2_ε is pronounced “Lay-tech two e” and typed LaTeX2e.

1.2 Basics

1.2.1 Author, Book Designer, and Typesetter

To publish something, authors give their typed manuscript to a publishing company. A book designer of the publishing company then decides the layout of the document (column width, fonts, space before and after headings, . . .). The book designer writes his instructions into the manuscript and then gives it to a typesetter, who typesets the book according to these instructions.

A human book designer tries to find out what the author had in mind while writing the manuscript. He decides on chapter headings, citations, examples, formulae, etc. based on his professional knowledge and from the contents of the manuscript.

In a L^AT_EX environment, L^AT_EX takes the role of the book designer and uses T_EX as its typesetter. But L^AT_EX is “only” a program and therefore needs more guidance. The author has to provide additional information which describes the logical structure of his work. This information is written into the text as “L^AT_EX commands.”

This is quite different from the WYSIWYG¹ approach which most mod-

¹What you see is what you get.

ern word processors such as *Word for Windows* or *WordPerfect* take. With these applications, authors specify the document layout interactively while typing text into the computer. All along the way, they can see on the screen how the final work will look when it is printed.

When using \LaTeX it is normally not possible to see the final output while typing the text. But the final output can be previewed on the screen after processing the file with \LaTeX . Then corrections can be made before actually sending the document to the printer.

1.2.2 Layout Design

Typographical design is a craft. Unskilled authors often commit serious formatting errors by assuming that book design is mostly a question of aesthetics—“If a document looks good artistically it is well designed.” But as a document has to be read and not hung up in a picture gallery, the readability and understandability is of much greater importance than the beautiful look of it. Examples:

- The font size and numbering of headings have to be chosen to make the structure of chapters and sections clear to the reader.
- The line length has to be short enough that it does not strain the eyes of the reader, while long enough to fill the page beautifully.

With WYSIWYG systems, authors often generate aesthetically pleasing documents with very little or inconsistent structure. \LaTeX prevents such formatting errors by forcing the author to declare the *logical* structure of his document. \LaTeX then chooses the most suitable layout.

1.2.3 Advantages and Disadvantages

A topic often discussed when people from the WYSIWYG world meet \LaTeX people, is “the advantages of \LaTeX over a normal word processor” or the opposite. The best thing you can do when such a discussion starts, is to keep a low profile, as it often gets out of hand. But sometimes you cannot escape . . .

The main advantages of \LaTeX over normal word processors are the following:

- Professionally crafted layouts are available which make a document really look as if “printed.”
- The typesetting of mathematical formulae is supported in a convenient way.
- The user only needs to learn a few easy to understand commands, which specify the logical structure of a document. They almost never need to tinker with the actual layout of the document.

- Even complex structures such as footnotes, references, table of contents, and bibliographies can be easily generated.
- For many typographical tasks not directly supported by basic \LaTeX , there exist free add-on packages. For example, packages are available to include `POSTSCRIPT` graphics or to typeset bibliographies conforming to exact standards. Many of these add-on packages are described in *The \LaTeX Companion* [3].
- \LaTeX encourages authors to write well structured texts because this is how \LaTeX works—by specifying structure.
- `\TeX`, the formatting engine of $\text{\LaTeX} 2_{\epsilon}$, is highly portable. Therefore the system runs on almost any hardware platform available.

\LaTeX also has some disadvantages:

- More resources (memory, disk-space, computing power) are required to run a \LaTeX system than a simple word processor. But things are getting better, as Word for Windows 6.0 needs even more disk space than a normal \LaTeX system. When it comes down to processor usage, \LaTeX beats any WYSIWYG system, as it only needs a lot of CPU time when a document is actually processed, while WYSIWYG packages hog the CPU all the time.
- Although within a predefined document layout some parameters can be adjusted, the design of a whole new layout is difficult and takes a lot of time.²

1.3 \LaTeX Input Files

The input for \LaTeX is a plain `ASCII` text file. You can create it with any text editor. It contains the text of the document as well as the commands which tell \LaTeX how to typeset the text.

1.3.1 Spaces

“Whitespace” characters such a blank or the carriage return are treated uniformly as “space” by \LaTeX . *Several consecutive* whitespace characters are treated as *one* “space.” Whitespace at the start of a line is generally ignored.

An empty line between two lines of text defines the end of a paragraph. *Several* empty lines are treated the same as *one* empty line. The text below

²Rumour says, that this is one of the key elements which will be addressed in the upcoming $\text{\LaTeX}3$ system

is an example. On the right hand side is the text from the input file and on the left hand side is the formatted output.

<p>It does not matter whether you enter one or several spaces after a word.</p> <p>An empty line starts a new paragraph.</p>	<pre>It does not matter whether you enter one or several spaces after a word. An empty line starts a new paragraph.</pre>
--	---

1.3.2 Special Characters

The following symbols are reserved characters, that either have a special meaning under \LaTeX or are not available in all the fonts. If you enter them in your text directly, they will normally not print, but rather coerce \LaTeX to do things you did not intend.

`$ & % # _ { } ~ ^ \`

As you will see, these characters can be used in your documents all the same by adding a prefix backslash:

`$ & % # _ { }` `\$ \& \% \# _ \{ \}`

The other symbols and many more can be printed in mathematical formulae or as accents with special commands.

1.3.3 \LaTeX Commands

\LaTeX commands are case sensitive and take one of the following two formats:

- They start with a backslash `\` and then have a name consisting only of letters. Command names are terminated by a space, a number or a special character
- They consist of a backslash and exactly one special character.

\LaTeX ignores whitespace after commands. If you want to get a space after a command, you have to put either `{ }` and a blank or a special spacing command after the command name.

<p>I read that Knuth divides the people working with \TeX into \TeXnicians and \TeXperts. Today is November 22, 1994.</p>	<pre>I read that Knuth divides the people working with \TeX{} into \TeX{}nicians and \TeX{}perts.\ Today is \today.</pre>
---	---

Some commands need a parameter which has to be given between curly braces { } after the command name. Some commands support optional parameters which are added after the command name in square brackets [].

You can *lean* on me! You can `\textsl{lean}` on me!

Please, start a new line right here!
Thank you!

Please, start a new line
right here!`\linebreak[3]`
Thank you!

1.3.4 Comments

When \LaTeX encounters a % character while processing an input file, it ignores the rest of the present line. This is useful for adding notes to the input file, which will not show up in the printed version.

This is an example. This is an % stupid
% Better: instructive <----
example.

1.3.5 Input File Structure

When \LaTeX 2_ϵ processes an input file it expects it to follow a certain structure. Thus every input file must start with the command

```
\documentclass{...}
```

This specifies what sort of document you intend to write. After that, you can include commands which influence the style of the whole document or you can load packages which add new features to the \LaTeX system. To load such a package you use the command

```
\usepackage{...}
```

When all the setup work is done³, you start the body of the text with the command

```
\begin{document}
```

Now you enter the text mixed with some useful \LaTeX commands. At the end of the document you add the

```
\end{document}
```

³The area between `\documentclass` and `\begin{document}` is called *preamble*.

command, which tells L^AT_EX to call it a day. Anything which follows this command will be ignored by L^AT_EX.

Figure 1 shows the contents of a minimal L^AT_EX 2_ε file. A slightly more complicated input file is given in Figure 2.

1.4 The Layout of the Document

1.4.1 Document Classes

The first information L^AT_EX needs to know when processing an input file is the type of document the author wants to create. This is specified with the `\documentclass` command.

```
\documentclass[options]{class}
```

Here *class* specifies the type of document to be created. Table 1 lists the document classes explained in this introduction. The L^AT_EX 2_ε distribution

```
\documentclass{article}
\begin{document}
Small is beautiful.
\end{document}
```

Figure 1: A Minimal L^AT_EX File

```
\documentclass[a4paper,11pt]{article}
\usepackage{latexsym}
\author{H.~Partl}
\title{Minimalism}
\frenchspacing
\begin{document}
\maketitle
\tableofcontents
\section{Start}
Well and here begins my lovely article.
\section{End}
\ldots{} and here it ends.
\end{document}
```

Figure 2: Example of a Realistic Journal Article

provides additional classes for other documents including letters and slides. The *options* parameter customises the behaviour of the document class. The options have to be separated by commas. In Table 2 the most common options for the standard document classes are listed.

Example: The input file for this booklet starts with the line

```
\documentclass[11pt,twoside,a4paper]{article}
```

it instructs L^AT_EX to typeset the document as an *article* with a base fontsize of *eleven points* and to produce a layout suitable for *double sided* printing.

1.4.2 Packages

While writing your document, you will probably find that there are some areas where basic L^AT_EX cannot solve your problem. If you want to include graphics, coloured text or source code from a file into your document, you need to enhance the capabilities of L^AT_EX. Such enhancements are called packages. Packages are activated with the

```
\usepackage[options]{package}
```

command. Where *package* is the name of the package and *options* is a list of keywords which trigger special features in the package. Some packages come with the L^AT_EX 2_ε base distribution (See Table 3). Others are provided separately. You may find more information on the packages installed at your site in your *Local Guide* [4]. Many important packages are described in *The L^AT_EX Companion* [3].

Table 1: Document Classes

article	for articles in scientific journals, presentations, short reports, program documentation, invitations, . . .
report	for longer reports containing several chapters, small books, PhD theses, . . .
book	for real books

Table 2: Document Class Options

<code>10pt</code> , <code>11pt</code> , <code>12pt</code>	Sets the size of the main font for the document. If no option is specified, 10 pt is assumed.
<code>a4paper</code> , <code>letterpaper</code> , ...	Defines the papersize. The default size is <code>letterpaper</code> . Besides that, <code>a5paper</code> , <code>b5paper</code> , <code>executivepaper</code> , and <code>legalpaper</code> can be specified.
<code>fleqn</code>	Typesets displayed formulae left-aligned instead centered.
<code>leqno</code>	Places the numbering of formulae on the left hand side instead of the right.
<code>titlepage</code> , <code>notitlepage</code>	Specifies whether a new page should be started after the document title or not. The <code>article</code> class does not start a new page by default, while <code>report</code> and <code>book</code> do.
<code>twocolumn</code>	Instructs L ^A T _E X to typeset the document in two columns.
<code>twoside</code> , <code>oneside</code>	Specifies whether double or single sided output should be generated. The classes <code>article</code> and <code>report</code> are single sided and the <code>book</code> class is double sided by default.
<code>openright</code> , <code>openany</code>	Makes chapters begin either only on right hand pages or on the next page available. This does not work with the <code>article</code> class, as it does not know chapters. The <code>report</code> class by default starts chapters on the next page available and the <code>book</code> class starts them on right hand pages.

Table 3: Some of the Packages Distributed with L^AT_EX

<code>doc</code>	Allows the documentation of L ^A T _E X programs. Described in <code>doc.dtx</code> and in <i>The L^AT_EX Companion</i> [3].
<code>exscale</code>	Provides scaled versions of the maths extension font. Described in <code>ltxscale.dtx</code> .
<code>fontenc</code>	Specifies which font encoding L ^A T _E X should use. Described in <code>ltoutenc.dtx</code> .
<code>ifthen</code>	Provides commands of the form 'if...then do...otherwise do...' Described in <code>ifthen.dtx</code> and <i>The L^AT_EX Companion</i> [3].
<code>latexsym</code>	To access the L ^A T _E X symbol font, you should use the <code>latexsym</code> package. Described in <code>latexsym.dtx</code> and in <i>The L^AT_EX Companion</i> [3]
<code>makeidx</code>	Provides commands for producing indexes. Described in section <code>refsec:indexing</code> and in <i>The L^AT_EX Companion</i> [3].
<code>syntonly</code>	Processes a document without typesetting it. Described in <code>syntonly.dtx</code> and in <i>The L^AT_EX Companion</i> [3]. This is useful for quick error checking.
<code>tracefmt</code>	Allows you to control how much information about L ^A T _E X's font loading is displayed. Described in <i>The L^AT_EX Companion</i> [3].

1.4.3 Page Styles

L^AT_EX supports three predefined header/footer combinations—so-called page styles. The *style* parameter of the

```
\pagestyle{style}
```

command defines which one to use. Table 4 lists the predefined page styles.

It is possible to change the page style of the current page with the command

```
\thispagestyle{style}
```

In *The L^AT_EX Companion* [3] there is a description how to create your own headers and footers.

Table 4: The Predefined Page Styles of L^AT_EX

plain prints the page numbers on the bottom of the page in the middle of the footer. This is the default page style.

headings prints the current chapter heading and the page number in the header on each page while the footer remains empty.

empty sets both the header and the footer to be empty.

2 Typesetting Text

2.1 Linebreaking and Pagebreaking

2.1.1 Justified Paragraphs

Often books are typeset with each line having the same length. \LaTeX inserts the necessary linebreaks and space between words by optimising the contents of a whole paragraph. If necessary it also hyphenates words that would not fit comfortably on a line. How the paragraphs are typeset depends on the document class. Normally the first line of a paragraph is indented and there is no additional space between two paragraphs. Refer to section 4.2.2 for more information.

In special cases it might be necessary to order \LaTeX to break a line: the commands `\` or `\newline` start a new line without starting a new paragraph. The command `*` additionally prohibits a pagebreak after the forced linebreak. The command `\newpage` starts a new page.

The commands: `\linebreak[n]`, `\nolinebreak[n]`, `\pagebreak[n]` and `\nopagebreak[n]` enable the author to influence their actions, with n being the strength of the influence from zero to four.

\LaTeX always tries to produce the best linebreaks possible. If it cannot find a way to break the lines which meets its high standards, it rather lets one line stick out on the right of the paragraph. \LaTeX then complains (“overfull hbox”) while processing the input file. This happens most often when \LaTeX cannot find a suitable place to hyphenate a word. By giving the `\sloppy` command you can instruct \LaTeX to lower its standards a little. It then prevents such over-long lines by increasing the inter-word spacing — even if the final output is not optimal. In this case a warning (“underfull hbox”) is given to the user. In most cases the result does not look too bad.

2.1.2 Hyphenation

\LaTeX hyphenates words whenever necessary. If the hyphenation algorithm does not find the correct hyphenation points you can remedy the situation by using the following commands, to tell \TeX about the exception.

The command

`\hyphenation{word list}`

causes the words listed in the argument to be hyphenated only at the points marked by “-”. This command should be given in the preamble of the input file and should only contain words built from normal letters. The case of the letters is ignored. The example below will allow “hyphenation” to be hyphenated as well as “Hyphenation”. No accented characters or symbols are allowed in the argument.

Example:

```
\hyphenation{FORTRAN Hy-phen-a-tion}
```

The command `\-` inserts a discretionary hyphen into a word. This also becomes the only point hyphenation is allowed in this word. This command is especially useful for words containing special characters, because \LaTeX does not automatically hyphenate words containing accented characters.

I think this is: supercalifragilisticex- pialidocious	I think this is: su\per\cal\-% i\frag\i\lis\tic\ex\pi\-% al\i\do\cious
--	--

Several words can be kept together on one line. The command

```
\mbox{text}
```

causes its argument be kept together under all circumstances.

My phone number will change soon. It will be (0116) 2550 943.	My phone number will change soon. It will be \mbox{(0116) 2550 943}.
The parameter <i>filename</i> should con- tain the name of the file.	The parameter \mbox{\emph{filename}} should contain the name of the file.

2.2 Special Characters and Symbols

2.2.1 Quotation Marks

For quotation marks you should *not* use the " as on a typewriter. In publishing there are special opening and closing quotation marks.

“Please press the ‘x’ key.”	‘‘Please press the ‘x’ key.’’
-----------------------------	-------------------------------

2.2.2 Dashes and Hyphens

\LaTeX knows four kinds of dashes. You can access three of these with different numbers of consecutive dashes. The fourth kind is the mathematical minus:

daughter-in-law, X-rated pages 13–67 yes—or no? 0, 1 and –1	daughter-in-law, X-rated\\ pages 13--67\\ yes---or no? \\ \$0\$, \$1\$ and \$-1\$
--	--

The names for these dashes are: - hyphen, -- en-dash, --- em-dash and \$-\$ minus sign.

2.2.3 Ellipsis (...)

On a typewriter a comma or a period takes the same amount of space as any other letter. In book printing these characters occupy only a little space and are set very close to the preceding letter. Therefore you can not enter “ellipsis” by just typing three dots, as the spacing would be wrong. Instead there is a special command for these dots. It is called

<code>\ldots</code>

Not like that ... but like that:	Not like that ... but like that:\
New York, Tokyo, Budapest, ...	New York, Tokyo, Budapest, \ldots

2.2.4 Ligatures

Some letter combinations are typeset not just by setting the different letters one after the other, but actually by using special symbols for these combinations.

ff fi fl ffi... instead of ff fi fl ffi ...

These so-called ligatures can be prohibited by inserting a `\mbox{}` between the two letters in question. This might be necessary with words built from two words.

Not shelfful	Not shelfful\
but shelfful	but shelf\mbox{ful}

2.2.5 Accents and Special Characters

\LaTeX supports the use of accents and special characters from many languages. Table 5 shows all sorts of accents being applied to the letter o. Naturally other letters work too.

To place an accent on top of an i or a j, their dots have to be removed. This is accomplished by typing `\i` and `\j`.

Hôtel, naïve, élève,	H\^otel, na\''i ve, \\'el\'eve,\
smørrebrød, ¡Señorita!,	sm\o rrebr\o d, !\'Se\~norita!,\
Schönbrunner Schloß Straße	Sch\''onbrunner Schlo\ss\}
	Stra\ss e

2.3 International Language Support

If you need to write documents in languages other than English, \LaTeX must apply different hyphenation rules in order to produce correct output.

For many languages, these changes can be accomplished by using the `babel` package by Johannes Braams. To use this package, your \LaTeX system has to be specially configured. Your *Local Guide* [4] should give more information on this.

If your system is already appropriately configured, you can activate the `babel` package by adding the command

```
\usepackage[language]{babel}
```

after the `\documentclass` command. Which *languages* your system supports should also be listed in the Local Guide.

For some languages `Babel` also specifies new commands, which simplify the input of special characters. The German language for example, contains a lot of umlauts (äöü). With `Babel` you can enter an ö by typing "o instead of \o.

Some computer systems allow you to input special characters directly from the keyboard. \LaTeX can handle such characters. There exist several packages which add support for special character encodings. When using such a package you should consider, that other people might not be able to display your input files on their computer, because they use a different encoding. For example, the German umlaut ä on a PC is encoded as 132 and on some Unix systems using ISO-LATIN 1 it is encoded as 228. Therefore, use these features with care.

Table 5: Accents and Special Characters

ò	\‘o	ó	\’o	ô	\~o	õ	\~o
ō	\=o	ô	\.o	ö	\"o		
ö	\u o	ö	\v o	ő	\H o	ø	\c o
ø	\d o	ø	\b o	öo	\t oo		
œ	\oe	Œ	\OE	æ	\ae	Æ	\AE
å	\aa	å	\aa	Å	\AA		
ø	\o	Ø	\O	ı	\l	Ł	\L
ı	\i	ı	\j	ı	ı’	ı	ı’

2.4 The Space between Words

To get a straight right margin in the output, \LaTeX inserts varying amounts of space between the words. At the end of a sentence it inserts slightly more space, as this makes the text more readable. \LaTeX assumes that sentences end with periods, question marks or exclamation marks. If a period follows an uppercase letter this is not taken as a sentence ending since periods after uppercase letters are normally for abbreviations.

Any exception from these assumptions has to be specified by the author. A backslash in front of a space generates a space which will not be enlarged. A tilde (\sim) character generates a space which cannot be enlarged and which additionally prohibits a linebreak. The command $\@$ in front of a period specifies, that this period terminates a sentence even when it follows a uppercase letter.

Mr. Smith was happy to see her	Mr. \sim Smith was happy to see her $\backslash\backslash$
cf. Fig. 5	cf. \sim Fig. \sim 5 $\backslash\backslash$
I like BASIC. What about you?	I like BASIC $\backslash\@$. What about you?

The additional space after periods can be disabled with the command

`\frenchspacing`

which tells \LaTeX *not* to insert any more space after a period than after ordinary character. This is very common in non-English languages. In this case the command $\@$ is not necessary.

2.5 Titles, Chapters, and Sections

To help the reader find his way through your work, you should divide it into chapters, sections, and subsections. \LaTeX supports this with special commands which take the section title as their argument. It is up to you to use them in the correct order.

For the `article` class the following sectioning commands are available:

<code>\section{...}</code>	<code>\paragraph{...}</code>
<code>\subsection{...}</code>	<code>\subparagraph{...}</code>
<code>\subsubsection{...}</code>	<code>\appendix</code>

For the `report` and the `book` class you can use two additional sectioning commands:

<code>\part{...}</code>	<code>\chapter{...}</code>
-------------------------	----------------------------

As the `article` class does not know about chapters, it is quite easy to add articles as chapters to a book. The spacing between sections, the numbering and the font size of the titles will be set automatically by \LaTeX .

Two of the sectioning commands are a bit special:

- The `\part` command does not influence the numbering sequence of chapters.
- The `\appendix` command does not take an argument. It just changes the chapter⁴ numbering to letters.

L^AT_EX creates a table of contents by taking the section headings and page numbers from the previous run of the document. The command

```
\tableofcontents
```

expands to a table of contents at the place where it is issued. A new document has to be processed (“L^AT_EXed”) at least twice to get a correct table of contents.

All sectioning commands listed above also exist as starred versions. They generate section headings which will not show up in the table of contents and which will not get numbered. The command `\section{Help}` for example would become `\section*{Help}`.

Normally the section headings show up in the table of contents exactly as they were entered in the text. Sometimes this is not possible, because the heading is too long to fit into the table of contents. The entry for the table of contents can therefore be specified as optional argument before the actual heading.

```
\chapter[Read it! It's Exciting]{This is a very long
and especially boring title}
```

The title of the whole document is generated by issuing a

```
\maketitle
```

command. The contents of the title has to be defined by the commands

```
\title{...}, \author{...} and optionally \date{...}
```

before calling `\maketitle`. In the argument of `\authors` you can supply several names separated by `\and` commands.

An example for some of the above mentioned commands can be found in Figure 2 on page 11.

⁴For the article style the section numbering

2.6 Cross References

In books and reports and articles there are often cross references to figures, tables and special segments of text. \LaTeX provides the following commands for cross referencing

```
\label{marker}, \ref{marker} and \pageref{marker}
```

Where *marker* is an identifier chosen by the user. \LaTeX replaces `\ref` by the number of the section, subsection, figure, table, or theorem where the corresponding `\label` command was issued. `\pageref` prints the page number of the corresponding `\label` command. Here also the numbers from the previous run are used.

A reference to this subsection looks like: “see section 2.6 on page 22.”

A reference to this subsection `\label{sec:this}` looks like:
 ‘‘see section~\ref{sec:this} on page~\pageref{sec:this}.’’

2.7 Footnotes

With the command

```
\footnote{footnote text}
```

a footnote will be printed at the foot of the current page.

Footnotes^a are often used by people using \LaTeX .

Footnotes\footnote{This is a footnote} are often used by people using \LaTeX .

^aThis is a footnote

2.8 Emphasised Words

In manuscripts produced by typewriter, important words get underlined. In printed books these words are *emphasised*. The command to switch to an *emphasised* font is called

```
\emph{text}
```

Its argument is the text to be emphasised.

If you use emphasising in an already emphasised text, then L^AT_EX uses an upright font for emphasising.

```
\emph{If you use
\emph{emphasising} in an
already emphasised text, then
\LaTeX{ } uses an
\emph{upright} font for
emphasising.}
```

2.9 Environments

To typeset special purpose text, L^AT_EX defines many different environments for all sorts of formatting:

```
\begin{name} text \end{name}
```

Where *name* is the name of the environment. Environments can be called several times within each other as long as the calling order is maintained.

```
\begin{aaa}... \begin{bbb}... \end{bbb}... \end{aaa}
```

In the following sections all important environments are explained.

2.9.1 Quote, Quotation, and Verse

The `quote` environment is useful for quotes, important phrases and examples.

A typographical rule of thumb for the line length is:

No line should contain more than 66 characters.

That's why multicolumn print is often used in newspapers.

A typographical rule of thumb for the line length is:

```
\begin{quote}
No line should contain more than
66~characters.
```

```
\end{quote}
That's why multicolumn print is
often used in newspapers.
```

There are two similar environments: the `quotation` and the `verse` environments. The `quotation` environment is useful for longer quotes going over several paragraphs. The `verse` environment is useful for poems where the line breaks are important. The lines are separated by issuing a `\\` at the end of a line and a empty line after each verse.

I know only one English poem by heart. It is about Humpty Dumpty.

```
Humpty Dumpty sat on a
  wall:
Humpty Dumpty had a great
  fall.
All the King's horses and all
  the King's men
  Couldn't put Humpty to-
  gether again.
```

I know only one English poem by heart. It is about Humpty Dumpty.

```
\begin{verse}
\scriptsize
Humpty Dumpty sat on a wall:\\
Humpty Dumpty had a great fall.\\
All the King's horses and all
the King's men\\
Couldn't put Humpty together
again.
\end{verse}
```

2.9.2 Itemise, Enumerate, and Description

The `itemize` environment is suitable for simple lists, the `enumerate` environment for enumerated lists, and the `description` environment for descriptions.

<pre>1. You can mix the list environ- ments to your taste: • But it might start to look silly. • If you over-do it. 2. Therefore remember: Stupid things will not become smart because they are in a list. Smart things though, can be presented beautifully in a list.</pre>	<pre>\begin{enumerate} \item You can mix the list environments to your taste: \begin{itemize} \item But it might start to look silly. \item If you over-do it. \end{itemize} \item Therefore remember: \begin{description} \item[Stupid] things will not become smart because they are in a list. \item[Smart] things though, can be presented beautifully in a list. \end{description} \end{enumerate}</pre>
---	---

2.9.3 Flushleft, Flushright, and Center

The environments `flushleft` and `flushright` generate paragraphs which are either left or right aligned. The `center` environment generates centred text. If you do not issue `\\` to specify linebreaks, \LaTeX will automatically determine linebreaks.

This text is left aligned. \LaTeX is not trying to make each line the same length.

```
\begin{flushleft}
This text is\\ left aligned.
\LaTeX{} is not trying to make
each line the same length.
\end{flushleft}
```

This text is right aligned. \LaTeX is not trying to make each line the same length.

```
\begin{flushright}
This text is right\\ aligned.
\LaTeX{} is not trying to make
each line the same length.
\end{flushright}
```

At the centre
of the earth

```
\begin{center}
At the centre\\of the earth
\end{center}
```

2.9.4 Printing Verbatim

Text which is enclosed between `\begin{verbatim}` and `\end{verbatim}` will be directly printed, as if it was typed on a typewriter, with all linebreaks and spaces, without any \LaTeX command being executed.

Within a paragraph, similar functionality can be accessed with

```
\verb+text+
```

The `+` is just an example delimiter character. You can use any character except `*` or blank. Many \LaTeX examples in this booklet are typeset with this command.

The `\ldots` command ...

```
10 PRINT "HELLO WORLD ";
20 GOTO 10
```

The `\verb|\ldots|` command `\ldots`

```
\begin{verbatim}
10 PRINT "HELLO WORLD ";
20 GOTO 10
\end{verbatim}
```

The `verbatim` environment and the `\verb` command may not be used within parameters of other commands.

2.9.5 Tabular

The `tabular` environment can be used to typeset beautiful tables with optional horizontal and vertical lines. \LaTeX determines the width of the columns automatically.

The *table spec* argument of the

```
\begin{tabular}{table spec}
```

command defines the format of the table. Use an `l` for a column of left aligned text, `r` for right aligned text and `c` for centred text, `p{width}` for a column containing justified text with linebreaks, and `|` for a vertical line.

Within a `tabular` environment `&` jumps to the next column, `\\` starts a new line and `\hline` inserts an horizontal line.

7C0	hexadecimal
3700	octal
11111000000	binary
1984	decimal

```
\begin{tabular}{|r|l|}
\hline
7C0 & hexadecimal \\
3700 & octal \\
11111000000 & binary \\
\hline \hline
1984 & decimal \\
\hline
\end{tabular}
```

Welcome to 'Paragraph in a box.' We sincerely hope you'll all enjoy the show.

```
\begin{tabular}{|p{4.5cm}|}
\hline
Welcome to 'Paragraph in a
box.' We sincerely hope
you'll all enjoy the show.\\
\hline
\end{tabular}
```

With the `@{...}` construct it is possible to specify the column separator. This command kills the intercolumn space and replaces it with whatever is included in the curly braces. One common use for this command is explained below in the decimal alignment problem. Another possible usage is to suppress leading space in a table with `@{}`.

no leading space

```
\begin{tabular}{@{} l @{}}
\hline
no leading space\\ \hline
\end{tabular}
```

leading space left and right

```
\begin{tabular}{l}
\hline
leading space left and right\\
\hline
\end{tabular}
```

Since there is no built-in way to align numeric columns on a decimal point⁵, we can “cheat” and do it by using two columns: a right-aligned integer and a left-aligned fraction. The `@{}` command in the `\begin{tabular}` line replaces the normal intercolumn spacing with just a “.”, giving the appearance of a single, decimal-point-justified column. Don’t forget to replace the decimal point in your numbers with a column separator (`&`)! A column label can be placed above our numeric “column” by using the `\multicolumn` command.

Pi expression	Value	
π	3.1416	<code>\begin{tabular}{c r @{.} l}</code>
π^π	36.46	<code>Pi expression &</code>
$(\pi^\pi)^\pi$	80662.7	<code>\multicolumn{2}{c}{Value} \\</code>
		<code>\hline</code>
		<code>\$\$\pi\$ & 3&1416 \\</code>
		<code>\$\$\pi^{\pi}\$ & 36&46 \\</code>
		<code>\$\$\pi^{\pi}{}^{\pi}\$ & 80662&7 \\</code>
		<code>\end{tabular}</code>

2.10 Floating Bodies

Today most publications contain a lot of figures and tables. These elements need special treatment because they cannot be broken across pages. One method would be to start a new page every time a figure or a table is too large to fit on the present page. This approach would leave pages partially empty which looks very bad.

The solution to this problem is to ‘float’ any figure or table, which does not fit on the current page, to a later page while filling the current page with body text. \LaTeX offers two environments for floating bodies. One for tables and one for figures. To take full advantage of these two environments it is important to understand approximately how \LaTeX handles floats internally. Otherwise floats may become a major source of frustration because they will simply never end up where where you want them to be.

Let’s first have a look at the commands \LaTeX supplies for floats:

Any material enclosed in a `figure` or `table` environment will be treated as floating matter. Both float environments support an optional parameter

`\begin{figure}[placement specifier]` or `\begin{table}[placement specifier]`

called the *placement specifier*. This parameter is used to tell \LaTeX about the locations the float is allowed to go. A *placement specifier* is constructed by building a string of *float placing permissions*. See Table 6.

⁵If the ‘tools’ bundle is installed on your system, have a look at the `dcolumn` package

A table could be started with the following line for example

```
\begin{table}[!hbp]
```

The placement specifier `[!hbp]` allows L^AT_EX to place the table right here (**h**) or at the bottom (**b**) of some page or on a special floats page (**p**) and all that even if it does not look that good (!). If no placement specifier is given, the standard classes assume `[tbp]`.

L^AT_EX will place every float it encounters according to the placement specifier supplied by the author. If a float cannot be placed on the current page it is deferred either to the *figures* or the *tables* queue. When a new page is started, L^AT_EX first checks if it is possible to fill a special ‘float’ page with floats from the queues. If this is not possible, the first float on each queue is treated as if they had just occurred in the text: L^AT_EX tries again to place them according to their respective placement specifiers (except ‘h’ which is no longer possible). Any new floats occurring in the text get placed into the appropriate queues, because L^AT_EX strictly maintains the original order of appearance for each type of float.

From the things said above it becomes clear, why a figure which cannot be placed, pushes all the further figures to the end of the document. Therefore:

If L^AT_EX is not placing the floats as you expected, it is often only one float jamming one of the two float queues.

Having explained the difficult bit, there are some more things to mention about the `table` and `figure` environments. With the

```
\caption{caption text}
```

command you can define a caption for the float. A running number and the string “Figure” or “Table” will be added by L^AT_EX.

Table 6: Float Placing Permissions

Spec	Permission to place the float . . .
h	<i>here</i> at the very place in the text where it occurred. This is useful mainly for small floats.
t	at the <i>top</i> of a page
b	at the <i>bottom</i> of a page
p	on a special <i>page</i> containing only floats.
!	without considering most of the internal parameters ^a which could stop this float from being placed.

^aSuch as the maximum number of floats allowed on one page

The two commands

```
\listoffigures and \listoftables
```

operate analogously to the `\tableofcontents` command, printing a list of figures or tables respectively. In these lists, the whole caption will be repeated. If you tend to use long captions, you must have a shorter version of the caption going into the lists. This is accomplished by entering the short version in brackets after the `\caption` command.

```
\caption[Short]{LLLLLoooooonnnnnggggg}
```

With `\label` and `\ref` you can create a reference to a float within your text.

```
Figure~\ref{white} is an example of Pop-Art.
\begin{figure}[!hbp]
\makebox[\textwidth]{\framebox[5cm]{\rule{0pt}{5cm}}}
\caption{Five by Five in Centimetres} \label{white}
\end{figure}
```

In the example above⁶ \LaTeX will try *really hard* (!) to place the figure right *here* (h). If this is not possible, it tries to place the figure at the *bottom* (b) of the page. Failing to place the figure on the current page, it determines if it is possible to create a float page containing this figure and maybe some tables from the tables queue. If there is not enough material for a special float page, \LaTeX starts a new page and once more treats the figure as if it had just occurred in the text.

Under certain circumstances it might be necessary to use the

```
\clearpage
```

command. It orders \LaTeX to immediately place all floats remaining in the queues and then start a new page.

⁶assuming the figure queue is empty

3 Typesetting Mathematical Formulae

3.1 General

L^AT_EX has a special mode for typesetting mathematics. Mathematical text within a paragraph is entered between `\(` and `\)`, between `$` and `$` or between `\begin{math}` and `\end{math}`.

Add a squared and b squared to get c squared. Or using a more mathematical approach: $c^2 = a^2 + b^2$

Add a squared and b squared to get c squared. Or using a more mathematical approach:
`$c^2=a^2+b^2$`

T_EX is pronounced as $\tau\epsilon\chi$.

`\TeX{}` is pronounced as

100 m³ of water

`100~m^{3}$` of water

This comes from my ♥

`100~m^{3}$` of water

This comes from my `\heartsuit$`

Larger mathematical equations or formulae are preferably typeset on separate lines. Therefore you enclose them between `\[` and `\]` or between `\begin{displaymath}` and `\end{displaymath}`. This produces formulae which are not enumerated. If you want L^AT_EX to enumerate them, you can use the `equation` environment.

Add a squared and b squared to get c squared. Or using a more mathematical approach:

Add a squared and b squared to get c squared. Or using a more mathematical approach:

$$c^2 = a^2 + b^2$$

`\begin{displaymath}`

`c^2=a^2+b^2`

`\end{displaymath}`

And just one more line.

And just one more line.

With `\label` and `\ref` you can reference an equation within the text.

$$\epsilon > 0$$

(1)

`\begin{equation} \label{eps}`

`\epsilon > 0`

`\end{equation}`

From (1) we gather ...

From (`\ref{eps}`) we gather `\ldots`

The are differences between *math mode* and *text mode*. For example, in *math mode*:

1. Most spaces and linebreaks do not have any significance, as all spaces are either derived logically from the mathematical expressions or have to be specified using special commands such as `\,`, `\quad` or `\qquad`.

$$\forall x \in \mathbf{R} : \quad x^2 \geq 0 \quad (2)$$

```

\begin{equation}
\forall x \in \mathbf{R} :
\qquad x^2 \geq 0
\end{equation}

```

2. Empty lines are not allowed. Only one paragraph per formula.
3. Each letter is considered to be the name of a variable and will be typeset as such. If you want to typeset normal text within a formula (normal upright font and normal spacing) then you have to enter the text using the `\textrm{...}` commands.

$$x^2 \geq 0 \quad \text{for all } x \in \mathbf{R} \quad (3)$$

```

\begin{equation}
x^2 \geq 0 \quad \text{for all } x \in \mathbf{R}
\end{equation}

```

3.2 Grouping in Math Mode

Most math mode commands act only on the next character. So if you want several characters affected by a command you have to group them together using curly braces: `{...}`.

$$a^x + y \neq a^{x+y} \quad (4)$$

```

\begin{equation}
a^x + y \neq a^{x+y}
\end{equation}

```

3.3 Building Blocks of a Mathematical Formula

In this section the most important commands used in mathematical typesetting will be described. For a list of all symbols available take a look at section 3.7 on page 37.

Lowercase Greek letters are entered as `\alpha`, `\beta`, `\gamma`, ..., uppercase letters⁷ are entered as `\Gamma`, `\Delta`, ...

⁷There is no uppercase Alpha defined in L^AT_EX 2_ε because it looks the same as a normal roman A. Once the new math coding is done, things will change.

$\lambda, \xi, \pi, \mu, \Phi, \Omega$ `\lambda, \xi, \pi, \mu, \Phi, \Omega`

Exponents and Subscripts can be specified using the `^` and the `_` character.

a_1	x^2	$e^{-\alpha t}$	a_{ij}^3	<code>\$a_{1}\$</code>	<code>\quad</code>	<code>\$x^{2}\$</code>	<code>\quad</code>	<code>\$e^{-\alpha t}\$</code>	<code>\quad</code>	<code>\$a^{3}_{ij}\$</code>	<code>\quad</code>	<code>\quad</code>
$e^{x^2} \neq e^{x^2}$				<code>\$e^{x^2} \neq e^{x^2}\$</code>								

The **square root sign** is entered as `\sqrt`, the n^{th} root is generated with `\sqrt[n]`. The size of the root sign is determined automatically by L^AT_EX.

\sqrt{x}	$\sqrt{x^2 + \sqrt{y}}$	$\sqrt[3]{2}$	<code>\sqrt{x}</code>	<code>\quad</code>	<code>\sqrt{x^2 + \sqrt{y}}</code>	<code>\quad</code>	<code>\sqrt[3]{2}</code>
			<code>\sqrt{x}</code>		<code>\sqrt{x^2 + \sqrt{y}}</code>		<code>\sqrt[3]{2}</code>

The commands `\overline` and `\underline` create **horizontal lines** directly over or under an expression.

$\overline{m+n}$	<code>\overline{m+n}</code>
------------------	-----------------------------

The commands `\overbrace` and `\underbrace` create **horizontal braces** over or under an expression.

$\underbrace{a+b+\cdots+z}_{26}$	<code>\underbrace{ a+b+\cdots+z }_{26}</code>
----------------------------------	---

To add mathematical accents such as small arrows or tilde signs to variables you can use the commands given in Table 7. Wide hats and tildes, covering several characters are generated with `\widetilde` and `\widehat`. With the `'` symbol you enter a dash.

$y = x^2$	$y' = 2x$	$y'' = 2$	<code>\begin{displaymath}</code>
			<code>y=x^{2}\quad y'=2x\quad y''=2</code>
			<code>\end{displaymath}</code>

Often **vectors** are specified by adding small arrow symbols on top of a variable. This is done with the `\vec` command. To denote the vector from A to B the two commands `\overrightarrow` and `\overleftarrow` are useful.

\vec{a}	\overrightarrow{AB}	<code>\begin{displaymath}</code>
		<code>\vec a\quad\overrightarrow{AB}</code>
		<code>\end{displaymath}</code>

Names of log-like functions are often typeset in an upright font and not italic as variables. Therefore L^AT_EX supplies the following commands to typeset the most important function names:

<code>\arccos</code>	<code>\cos</code>	<code>\csc</code>	<code>\exp</code>	<code>\ker</code>	<code>\limsup</code>	<code>\min</code>	<code>\sinh</code>
<code>\arcsin</code>	<code>\cosh</code>	<code>\deg</code>	<code>\gcd</code>	<code>\lg</code>	<code>\ln</code>	<code>\Pr</code>	<code>\sup</code>
<code>\arctan</code>	<code>\cot</code>	<code>\det</code>	<code>\hom</code>	<code>\lim</code>	<code>\log</code>	<code>\sec</code>	<code>\tan</code>
<code>\arg</code>	<code>\coth</code>	<code>\dim</code>	<code>\inf</code>	<code>\liminf</code>	<code>\max</code>	<code>\sin</code>	<code>\tanh</code>

$$\lim_{n \rightarrow 0} \frac{\sin x}{x} = 1$$

```

\[\lim_{n \rightarrow 0} \frac{\sin x}{x} = 1\]

```

For the modulo function there are two commands: `\bmod` for the binary operator “ $a \bmod b$ ” and `\pmod` for expressions such as “ $x \equiv a \pmod{b}$.”

A built-up **fraction** is typeset with the `\frac{...}{...}` command. Often the slashed form $1/2$ is preferable, because it looks better for small amounts of ‘fraction material.’

$$1\frac{1}{2} \text{ hours} \quad \frac{x^2}{k+1} \quad x^{\frac{2}{k+1}} \quad x^{1/2}$$

```

$1\frac{1}{2}$~hours
\begin{displaymath}
\frac{x^2}{k+1} \quad x^{\frac{2}{k+1}} \quad x^{1/2}
\end{displaymath}

```

To typeset binomial coefficients or similar structures you can use either the command `{... \choose ...}` or `{... \atop ...}`. The second command produces the same output as the first one, but without braces.

$$\binom{n}{k} \quad x \quad y+2$$

```

\begin{displaymath}
\binom{n}{k} \quad x \quad y+2
\end{displaymath}

```

The **integral operator** is generated with `\int`, the **sum operator** with `\sum`. The upper and lower limits are specified with `^` and `_` as with subscripts and superscripts.

$$\sum_{i=1}^n \int_0^{\frac{\pi}{2}}$$

```

\begin{displaymath}
\sum_{i=1}^n \int_0^{\frac{\pi}{2}}
\end{displaymath}

```

For **braces** and other delimiters there exist all types of symbols in T_EX (e.g. [< || ↓). Round and square braces can be entered with the correspond-

ing keys, curly braces with `\{`, all other delimiters are generated with special commands (eg. `\updownarrow`).

$$a, b, c \neq \{a, b, c\}$$

```

\begin{displaymath}
{a,b,c}\neq\{a,b,c\}
\end{displaymath}

```

If you put the command `\left` in front of an opening delimiter or `\right` in front of a closing delimiter, \TeX will automatically determine the correct size of the delimiter.

$$1 + \left(\frac{1}{1-x^2} \right)^3$$

```

\begin{displaymath}
1 + \left( \frac{1}{1-x^2} \right)^3
\end{displaymath}

```

In some cases it is necessary to specify the correct size of a mathematical delimiter by hand, therefore you can use the commands `\big`, `\Big`, `\bigg` and `\Bigg` as prefixes to most delimiter commands⁸.

$$\left((x+1)(x-1) \right)^2$$

```

\Big( (x+1) (x-1) \Big)^2
\big(\Big(\bigg(\Bigg(\quad
\big\}\Big\}\bigg\}\Bigg\}\quad
\big\|\Big\|\bigg\|\Bigg\|\$

```

To enter **their dots** into a formula you can use several commands. `\ldots` typesets the dots on the baseline, `\cdots` sets them centred. Beside that there are the commands `\vdots` for vertical and `\ddots` for diagonal dots.

$$x_1, \dots, x_n \quad x_1 + \cdots + x_n$$

```

\begin{displaymath}
x_{1},\ldots,x_{n} \quad x_{1}+\cdots+x_{n}
\end{displaymath}

```

3.4 Math Spacing

If the spaces within formulae chosen by \TeX are not satisfactory, they can be adjusted by inserting special spacing commands. The most important are: `\`, for a tiny space, `\` for a medium sized space (`\` stands for a “space” character), `\quad` and `\qquad` for large spaces and `\!` which shrinks a space.

⁸These commands do not work as expected if a size changing command has been used, or the `11pt` or `12pt` option has been specified. Use the `exscale` or `amstex` packages to correct this behaviour

$$\iint_D dx dy \quad \text{instead of} \quad \int \int_D dx dy$$

```

\begin{displaymath}
\int\int_D dx\,dy \quad \text{instead of} \quad \int\int_D dx\,dy
\end{displaymath}

```

3.5 Vertically Aligned Material

To typeset **arrays**, use the `array` environment. It works somewhat similar to the `tabular` environment. The `\` command is used to break the lines.

$$\mathbf{X} = \begin{pmatrix} x_{11} & x_{12} & \dots \\ x_{21} & x_{22} & \dots \\ \vdots & \vdots & \ddots \end{pmatrix}$$

```

\begin{displaymath}
\mathbf{X} = \left( \begin{array}{ccc}
x_{11} & x_{12} & \dots \\
x_{21} & x_{22} & \dots \\
\vdots & \vdots & \ddots
\end{array} \right)
\end{displaymath}

```

For formulae running over several lines or for equation systems you can use the environments `eqnarray` and `eqnarray*` instead of `equation`. In `eqnarray` each line gets a equation number. In the `eqnarray*` no line numbers are produced. For equation systems which should get one common number you can use the `\nonumber` command on all the lines which should *not* get a number.

The `eqnarray` and the `eqnarray*` environments work like a 3-column table of the form `{rcl}`, where the middle column can be used for the equal sign or the non-equal sign. The `\` command breaks the lines.

$$\begin{array}{lcl} f(x) & = & \cos x \quad (5) \\ f'(x) & = & -\sin x \quad (6) \\ \int_0^x f(y)dy & = & \sin x \quad (7) \end{array}$$

```

\begin{eqnarray}
f(x) & = & \cos x & (5) \\
f'(x) & = & -\sin x & (6) \\
\int_0^x f(y)dy & = & \sin x & (7)
\end{eqnarray}

```

Long equations will not be automatically divided into neat bits. The author has to specify where to break them and how much to indent. The following two methods are the most common ones to achieve this.

3.7 List of Mathematical Symbols

In the following tables you find all the symbols, normally accessible from *math mode*.

To use the symbols¹⁰ listed in Tables 18–26, the package `amssymb` must be loaded in the preamble of the document and the AMS math fonts must be installed on the system. If you want to install the AMS package, have a look at `CTAN:/tex-archive/macros/latex/packages/amslatex`

Table 7: Math Mode Accents

\hat{a}	<code>\hat{a}</code>	\check{a}	<code>\check{a}</code>	\tilde{a}	<code>\tilde{a}</code>	\acute{a}	<code>\acute{a}</code>
\grave{a}	<code>\grave{a}</code>	\dot{a}	<code>\dot{a}</code>	\ddot{a}	<code>\ddot{a}</code>	\breve{a}	<code>\breve{a}</code>
\bar{a}	<code>\bar{a}</code>	\vec{a}	<code>\vec{a}</code>				

Table 8: Lowercase Greek Letters

α	<code>\alpha</code>	ι	<code>\iota</code>	ϱ	<code>\varrho</code>
β	<code>\beta</code>	κ	<code>\kappa</code>	σ	<code>\sigma</code>
γ	<code>\gamma</code>	λ	<code>\lambda</code>	ς	<code>\varsigma</code>
δ	<code>\delta</code>	μ	<code>\mu</code>	τ	<code>\tau</code>
ϵ	<code>\epsilon</code>	ν	<code>\nu</code>	υ	<code>\upsilon</code>
ε	<code>\varepsilon</code>	ξ	<code>\xi</code>	ϕ	<code>\phi</code>
ζ	<code>\zeta</code>	\omicron	<code>\omicron</code>	φ	<code>\varphi</code>
η	<code>\eta</code>	π	<code>\pi</code>	χ	<code>\chi</code>
θ	<code>\theta</code>	ϖ	<code>\varpi</code>	ψ	<code>\psi</code>
ϑ	<code>\vartheta</code>	ρ	<code>\rho</code>	ω	<code>\omega</code>

Table 9: Uppercase Greek Letters

Γ	<code>\Gamma</code>	Ξ	<code>\Xi</code>	Φ	<code>\Phi</code>	Δ	<code>\Delta</code>
Π	<code>\Pi</code>	Ψ	<code>\Psi</code>	Θ	<code>\Theta</code>	Σ	<code>\Sigma</code>
Ω	<code>\Omega</code>	Λ	<code>\Lambda</code>	Υ	<code>\Upsilon</code>		

¹⁰These tables were derived from `symbols.tex` by David Carlisle

Table 10: Miscellaneous Symbols

\aleph	<code>\aleph</code>	$'$	<code>\prime</code>	\forall	<code>\forall</code>
\hbar	<code>\hbar</code>	\emptyset	<code>\emptyset</code>	\exists	<code>\exists</code>
\imath	<code>\imath</code>	∇	<code>\nabla</code>	\neg	<code>\neg</code>
\jmath	<code>\jmath</code>	\surd	<code>\surd</code>	\flat	<code>\flat</code>
ℓ	<code>\ell</code>	\top	<code>\top</code>	\natural	<code>\natural</code>
\wp	<code>\wp</code>	\perp	<code>\bot</code>	\sharp	<code>\sharp</code>
\Re	<code>\Re</code>	\parallel	<code>\parallel</code>	\clubsuit	<code>\clubsuit</code>
\Im	<code>\Im</code>	\sphericalangle	<code>\angle</code>	\diamondsuit	<code>\diamondsuit</code>
∂	<code>\partial</code>	\triangle	<code>\triangle</code>	\heartsuit	<code>\heartsuit</code>
∞	<code>\infty</code>	\backslash	<code>\backslash</code>	\spadesuit	<code>\spadesuit</code>
\mho ^a	<code>\mho</code> ^a	\square	<code>\Box</code> ^a	\diamond	<code>\Diamond</code> ^a

^aUse the `latexsym` package to access this symbol

Table 11: BIG Operators

Σ	<code>\sum</code>	\cap	<code>\bigcap</code>	\odot	<code>\bigodot</code>
\prod	<code>\prod</code>	\cup	<code>\bigcup</code>	\otimes	<code>\bigotimes</code>
\coprod	<code>\coprod</code>	\sqcup	<code>\bigsqcup</code>	\oplus	<code>\bigoplus</code>
\int	<code>\int</code>	\vee	<code>\bigvee</code>	\uplus	<code>\biguplus</code>
\oint	<code>\oint</code>	\wedge	<code>\bigwedge</code>		

Table 12: Binary Operators

$+$	<code>+</code>	$-$	<code>-</code>		
\pm	<code>\pm</code>	\cap	<code>\cap</code>	\vee	<code>\vee</code>
\mp	<code>\mp</code>	\cup	<code>\cup</code>	\wedge	<code>\wedge</code>
\setminus	<code>\setminus</code>	\uplus	<code>\uplus</code>	\oplus	<code>\oplus</code>
\cdot	<code>\cdot</code>	\sqcap	<code>\sqcap</code>	\ominus	<code>\ominus</code>
\times	<code>\times</code>	\sqcup	<code>\sqcup</code>	\otimes	<code>\otimes</code>
$*$	<code>\ast</code>	\triangleleft	<code>\triangleleft</code>	\oslash	<code>\oslash</code>
\star	<code>\star</code>	\triangleright	<code>\triangleright</code>	\odot	<code>\odot</code>
\diamond	<code>\diamond</code>	\wr	<code>\wr</code>	\dagger	<code>\dagger</code>
\circ	<code>\circ</code>	\bigcirc	<code>\bigcirc</code>	\ddagger	<code>\ddagger</code>
\bullet	<code>\bullet</code>	\triangleup	<code>\triangleup</code>	\amalg	<code>\amalg</code>
\div	<code>\div</code>	\triangledown	<code>\triangledown</code>		

Table 13: Relation Symbols

You can produce corresponding negations by adding a `\not` command as prefix to the following symbols.

$<$	<code><</code>	$>$	<code>></code>	$=$	<code>=</code>
\leq	<code>\leq</code>	\geq	<code>\geq</code>	\equiv	<code>\equiv</code>
\prec	<code>\prec</code>	\succ	<code>\succ</code>	\sim	<code>\sim</code>
\preceq	<code>\preceq</code>	\succeq	<code>\succeq</code>	\simeq	<code>\simeq</code>
\ll	<code>\ll</code>	\gg	<code>\gg</code>	\asymp	<code>\asymp</code>
\subset	<code>\subset</code>	\supset	<code>\supset</code>	\approx	<code>\approx</code>
\subseteq	<code>\subseteq</code>	\supseteq	<code>\supseteq</code>	\cong	<code>\cong</code>
\sqsubset	<code>\sqsubset</code>	\sqsupset	<code>\sqsupset</code>	\bowtie	<code>\bowtie</code>
\in	<code>\in</code>	\ni	<code>\ni</code>	\Join	<code>\Join</code> ^a
\vdash	<code>\vdash</code>	\dashv	<code>\dashv</code>	\models	<code>\models</code>
\smile	<code>\smile</code>	$ $	<code>\mid</code>	\doteq	<code>\doteq</code>
\frown	<code>\frown</code>	\parallel	<code>\parallel</code>	\perp	<code>\perp</code>
\propto	<code>\propto</code>				

^aUse the `latexsym` package to access this symbol

Table 14: Arrows

\leftarrow	<code>\leftarrow</code>	\longleftarrow	<code>\longleftarrow</code>
\Lleftarrow	<code>\Lleftarrow</code>	\Longleftarrow	<code>\Longleftarrow</code>
\rightarrow	<code>\rightarrow</code>	\longrightarrow	<code>\longrightarrow</code>
\Rightarrow	<code>\Rightarrow</code>	\Longrightarrow	<code>\Longrightarrow</code>
\leftrightarrow	<code>\leftrightarrow</code>	\longleftrightarrow	<code>\longleftrightarrow</code>
\Lleftrightarrow	<code>\Lleftrightarrow</code>	\Longleftrightarrow	<code>\Longleftrightarrow</code>
\mapsto	<code>\mapsto</code>	\longmapsto	<code>\longmapsto</code>
\hookrightarrow	<code>\hookrightarrow</code>	\hookleftarrow	<code>\hookleftarrow</code>
\lharpoonup	<code>\lharpoonup</code>	\rharpoonup	<code>\rharpoonup</code>
\lharpoonright	<code>\lharpoonright</code>	\rharpoonright	<code>\rharpoonright</code>
\rightharpoonleft	<code>\rightharpoonleft</code>	\leadsto	<code>\leadsto</code> ^a
\Uparrow	<code>\Uparrow</code>	\uparrow	<code>\uparrow</code>
\Downarrow	<code>\Downarrow</code>	\downarrow	<code>\downarrow</code>
\Updownarrow	<code>\Updownarrow</code>	\updownarrow	<code>\updownarrow</code>
\nearrow	<code>\nearrow</code>	\searrow	<code>\searrow</code>
\swarrow	<code>\swarrow</code>	\nwarrow	<code>\nwarrow</code>

^aUse the `latexsym` package to access this symbol

Table 15: Delimiters

(())	↑	\uparrow
↑	\Uparrow	[[]]
↓	\downarrow	↓	\Downarrow	{	\{
}	\}	↕	\updownarrow	↕	\Updownarrow
⌊	\lfloor	⌋	\rfloor	⌈	\lceil
⌋	\rceil	⟨	\langle	⟩	\rangle
/	/	\	\backslash		
	\				

Table 16: Large Delimiters

⎵	\rmoustache	⎴	\lmoustache	⎶	\rgroup
⎵	\lgroup		\arrowvert		\Arrowvert
	\bracevert				

Table 17: Non-Mathematical Symbols

These symbols can also be used in text mode.

†	\dag	§	\S	©	\copyright
‡	\ddag	¶	\P	£	\pounds

Table 18: AMS Delimiters

⌜	\ulcorner	⌝	\urcorner	⌞	\llcorner	⌟	\lrcorner
---	-----------	---	-----------	---	-----------	---	-----------

Table 19: AMS Negated Arrows

↵	\nleftarrow	↶	\nrightarrow	↵	\nLeftarrow
↷	\nrightarrow	↷	\nleftrightarrow	↷	\nLeftrightarrow

Table 20: AMS Greek

ƒ	\digamma	κ	\varkappa
---	----------	---	-----------

Table 21: AMS Hebrew

\beth `\beth` \daleth `\daleth` \gimel `\gimel`

Table 22: AMS Arrows

\dashrightarrow	<code>\dashrightarrow</code>	\dashleftarrow	<code>\dashleftarrow</code>	\Lleftarrow	<code>\Lleftarrow</code>	\Lleftarrow	<code>\leftleftarrows</code>
\Lleftrightarrow	<code>\Lleftrightarrow</code>	\Lleftarrow	<code>\Lleftarrow</code>	\Lleftarrow	<code>\Lleftarrow</code>	\Lleftarrow	<code>\twoheadleftarrow</code>
\leftarrowtail	<code>\leftarrowtail</code>	\looparrowleft	<code>\looparrowleft</code>	\Lleftarrow	<code>\Lleftarrow</code>	\Lleftarrow	<code>\leftrightharpoons</code>
\curvearrowleft	<code>\curvearrowleft</code>	\circlearrowleft	<code>\circlearrowleft</code>	\upharpoonleft	<code>\upharpoonleft</code>	\upharpoonleft	<code>\Lsh</code>
\Uparrow	<code>\Uparrow</code>	\upharpoonleft	<code>\upharpoonleft</code>	\downharpoonleft	<code>\downharpoonleft</code>	\downharpoonleft	<code>\downharpoonleft</code>
\multimap	<code>\multimap</code>	\leftrightsquigarrow	<code>\leftrightsquigarrow</code>	\Rrightarrow	<code>\Rrightarrow</code>	\Rrightarrow	<code>\rightrightarrows</code>
\Rleftrightarrow	<code>\Rleftrightarrow</code>	\Rrightarrow	<code>\Rrightarrow</code>	\Rrightarrow	<code>\Rrightarrow</code>	\Rrightarrow	<code>\rightleftarrows</code>
\twoheadrightarrow	<code>\twoheadrightarrow</code>	\rightarrowtail	<code>\rightarrowtail</code>	\looparrowright	<code>\looparrowright</code>	\looparrowright	<code>\looparrowright</code>
\rightleftharpoons	<code>\rightleftharpoons</code>	\curvearrowright	<code>\curvearrowright</code>	\circlearrowright	<code>\circlearrowright</code>	\circlearrowright	<code>\circlearrowright</code>
\Rsh	<code>\Rsh</code>	\downdownarrows	<code>\downdownarrows</code>	\upharpoonright	<code>\upharpoonright</code>	\upharpoonright	<code>\upharpoonright</code>
\downharpoonright	<code>\downharpoonright</code>	\rightsquigarrow	<code>\rightsquigarrow</code>				

Table 23: AMS Miscellaneous

\hbar	<code>\hbar</code>	\hbar	<code>\hslash</code>	\triangle	<code>\vartriangle</code>
\square	<code>\square</code>	∇	<code>\triangledown</code>	\lozenge	<code>\lozenge</code>
\textcircled{S}	<code>\circledS</code>	\emptyset	<code>\varnothing</code>	\sphericalangle	<code>\measuredangle</code>
\nexists	<code>\nexists</code>	\blacksquare	<code>\blacksquare</code>	\Finv	<code>\Finv</code>
\Game	<code>\Game</code>	\sphericalangle	<code>\sphericalangle</code>	\backprime	<code>\backprime</code>
\sphericalangle	<code>\angle</code>	\blacktriangle	<code>\blacktriangle</code>	\blacktriangledown	<code>\blacktriangledown</code>
\mho	<code>\mho</code>	\blacklozenge	<code>\blacklozenge</code>	\bigstar	<code>\bigstar</code>
\mathbb{k}	<code>\Bbbk</code>	\complement	<code>\complement</code>	\eth	<code>\eth</code>
\diagup	<code>\diagup</code>	\diagdown	<code>\diagdown</code>		

Table 24: AMS Binary Operators

$\dot{+}$	<code>\dotplus</code>	\boxtimes	<code>\boxtimes</code>	\llcorner	<code>\rightthreetimes</code>
\cup	<code>\Cup</code>	$\bar{\wedge}$	<code>\barwedge</code>	$\bar{\wedge}$	<code>\doublebarwedge</code>
\times	<code>\rtimes</code>	\boxminus	<code>\boxminus</code>	\setminus	<code>\smallsetminus</code>
\boxdot	<code>\boxdot</code>	\boxplus	<code>\boxplus</code>	$*$	<code>\divideontimes</code>
\ltimes	<code>\ltimes</code>	\veebar	<code>\veebar</code>	\lrcorner	<code>\leftthreetimes</code>
\Cap	<code>\Cap</code>	\curlywedge	<code>\curlywedge</code>	\ominus	<code>\circleddash</code>
\curlyvee	<code>\curlyvee</code>	\circledast	<code>\circledast</code>	\odot	<code>\circledcirc</code>
\cdot	<code>\centerdot</code>	\intercal	<code>\intercal</code>		

Table 25: AMS Binary Relations

\leqq	<code>\leqq</code>	\leqslant	<code>\leqslant</code>	\leqslantless	<code>\leqslantless</code>
\lesssim	<code>\lesssim</code>	\lessapprox	<code>\lessapprox</code>	\approx	<code>\approx</code>
\lessdot	<code>\lessdot</code>	\lll	<code>\lll</code>	\lessgtr	<code>\lessgtr</code>
\lesseqgtr	<code>\lesseqgtr</code>	\lesseqqgtr	<code>\lesseqqgtr</code>	\doteqdot	<code>\doteqdot</code>
\backsim	<code>\backsim</code>	\Subset	<code>\Subset</code>	\risingdotseq	<code>\risingdotseq</code>
\backsimeq	<code>\backsimeq</code>	\subsetneqq	<code>\subsetneqq</code>	\fallingdotseq	<code>\fallingdotseq</code>
\sqsubset	<code>\sqsubset</code>	\preccurlyeq	<code>\preccurlyeq</code>	\curlyeqprec	<code>\curlyeqprec</code>
\prec	<code>\prec</code>	\preccurlyeq	<code>\preccurlyeq</code>	\vartriangleleft	<code>\vartriangleleft</code>
\vDash	<code>\vDash</code>	\Vdash	<code>\Vdash</code>	\trianglelefteq	<code>\trianglelefteq</code>
\smallsmile	<code>\smallsmile</code>	\smallfrown	<code>\smallfrown</code>	\bumpeq	<code>\bumpeq</code>
\Bumpeq	<code>\Bumpeq</code>	\geqq	<code>\geqq</code>	\geqslant	<code>\geqslant</code>
\eqslantgtr	<code>\eqslantgtr</code>	\gtrsim	<code>\gtrsim</code>	\gtrapprox	<code>\gtrapprox</code>
\gtrdot	<code>\gtrdot</code>	\ggg	<code>\ggg</code>	\gtrless	<code>\gtrless</code>
\gtreqless	<code>\gtreqless</code>	\gtreqqless	<code>\gtreqqless</code>	\eqcirc	<code>\eqcirc</code>
\circeq	<code>\circeq</code>	\triangleq	<code>\triangleq</code>	\thicksim	<code>\thicksim</code>
\thickapprox	<code>\thickapprox</code>	\supsetneqq	<code>\supsetneqq</code>	\Supset	<code>\Supset</code>
\sqsupset	<code>\sqsupset</code>	\succcurlyeq	<code>\succcurlyeq</code>	\curlyeqsucc	<code>\curlyeqsucc</code>
\succ	<code>\succ</code>	\succapprox	<code>\succapprox</code>	\vartriangleright	<code>\vartriangleright</code>
\Vdash	<code>\Vdash</code>	\shortmid	<code>\shortmid</code>	\trianglerighteq	<code>\trianglerighteq</code>
\between	<code>\between</code>	\pitchfork	<code>\pitchfork</code>	\shortparallel	<code>\shortparallel</code>
\varpropto	<code>\varpropto</code>	\therefore	<code>\therefore</code>	\blacktriangleleft	<code>\blacktriangleleft</code>
\backepsilon	<code>\backepsilon</code>	\because	<code>\because</code>	\blacktriangleright	<code>\blacktriangleright</code>

Table 26: AMS Negated Binary Relations

\nless	\nleq	\nleqslant
\nleqq	\lneq	\lneqq
\lvertneqq	\lnsim	\lnapprox
\nprec	\npreceq	\precnsim
\precnapprox	\nsim	\nshortmid
\nmid	\nvdash	\nvDash
\ntriangleleft	\ntrianglelefteq	\nsubseteq
\subsetneq	\varsubsetneq	\subsetneqq
\varsubsetneqq	\ngtr	\ngeq
\ngeqslant	\ngeqq	\gneq
\gneqq	\gvertneqq	\gnsim
\gnapprox	\nsucc	\nsucceq
\nsucceq	\succnsim	\succnapprox
\ncong	\nshortparallel	\nparallel
\nvDash	\nVDash	\ntriangleright
\ntrianglerighteq	\nsupseteq	\nsupseteqq
\supsetneq	\varsupsetneq	\supsetneqq
\varsupsetneqq		

Table 27: Math Alphabets

Example	Command	Required package
$ABCdef$	ABCdef	
$ABCdef$	ABCdef	
$ABCdef$	\mathnormal{ABCdef}	
ABC	\mathcal{ABC}	
ABC	\mathcal{ABC}	euscript with with option: mathcal
	\mathscr{ABC}	euscript with option: mathscr
$\mathcal{B}Cdef$	\mathfrak{ABCdef}	eufrak
ABC	\mathbb{ABC}	amsmath or amssymb

4 Specialities

In this chapter we will describe some of the untold wonders of the \LaTeX system. A more complete menu of specialities “provided” by \LaTeX is described in the *\LaTeX Manual* [1] and *The \LaTeX Companion* [3].

4.1 Fonts and Sizes

\LaTeX chooses the appropriate font and font size based on the logical structure of the document (sections, footnotes, ...). In some cases one might like to change fonts and sizes by hand. Therefore you can use the commands listed in Tables 28 and 29.

The small and bold Romans ruled	<code>\small</code> The small and
all of great big <i>Italy</i> .	<code>\textbf{bold}</code> Romans ruled}
	<code>\Large</code> all of great big
	<code>\textit{Italy}</code> .)}

In *math mode* you can use the font changing *commands* to temporarily exit *math mode* and enter some normal text. If you want to switch to another font for math typesetting there exists another special set of commands. Refer to Table 30.

In connection with the font size commands, curly braces play a significant role. They are used to to build *groups*. Groups limit the scope of most \LaTeX commands.

He likes large and small let-	He likes <code>\LARGE</code> large and
ters.	<code>\small</code> small} letters}.

The font size commands also change the line spacing, but only if the paragraph ends within the scope of the font size command. The closing

Table 28: Fonts

<code>\textrm{...}</code>	roman	<code>\textsf{...}</code>	sans serif
<code>\texttt{...}</code>	typewriter		
<code>\textmd{...}</code>	medium	<code>\textbf{...}</code>	bold face
<code>\textup{...}</code>	upright	<code>\textit{...}</code>	<i>italic</i>
<code>\textsl{...}</code>	<i>slanted</i>	<code>\textsc{...}</code>	SMALL CAPS
<code>\emph{...}</code>	<i>emphasised</i>	<code>\textnormal{...}</code>	document font

curly brace } should therefore not come too early. Note the position of the \par command in the next two examples.

Don't read this! It is not true. You can believe me! `{\Large Don't read this! It is not true. You can believe me!\par}`

This is not true either. But maybe I am lying. `{\Large This is not true either. But maybe I am lying.}\par`

To conclude this journey into the land of fonts and font sizes, here is a little word of advice¹¹:

Remember! *The MORE fonts YOU use in a document the more READABLE and beautiful it becomes.*

¹¹Attention: This is a bit of satire. I hope you realise that!

Table 29: Font sizes

<code>\tiny</code>	tiny font	<code>\Large</code>	larger font
<code>\scriptsize</code>	very small font	<code>\LARGE</code>	very large font
<code>\footnotesize</code>	quite small font	<code>\huge</code>	huge
<code>\small</code>	small font	<code>\Huge</code>	largest
<code>\normalsize</code>	normal font		
<code>\large</code>	large font		

Table 30: Math fonts

<i>Command</i>	<i>Example</i>	<i>Output</i>
<code>\mathcal</code>	<code>\$\$\mathcal{B}=c\$</code>	$\mathcal{B} = c$
<code>\mathrm</code>	<code>\$\$\mathrm{K}_2\$</code>	K_2
<code>\mathbf</code>	<code>\$\$\sum x=\mathbf{v}\$</code>	$\sum x = \mathbf{v}$
<code>\mathsf</code>	<code>\$\$\mathsf{G\times R}\$</code>	$G \times R$
<code>\mathtt</code>	<code>\$\$\mathtt{L}(b,c)\$</code>	$L(b, c)$
<code>\mathnormal</code>	<code>\$\$\mathnormal{R_1}=R_1\$</code>	$R_1 = R_1$
<code>\mathit</code>	<code>\$\$finder\neq\mathit{finder}\$</code>	$finder \neq finder$

4.2 Spacing

4.2.1 Line Spacing

If you want to use larger interline spacing in a document, you can change its value with the command:

```
\linespread{factor}
```

Use the command `\linespread{1.3}` for “one and a half” line spacing, and `\linespread{1.6}` for “double” line spacing. Normally the lines are not spread, therefore the default linespread factor is 1.

4.2.2 Paragraph Formating

In \LaTeX , there are two parameters influencing paragraph layout. By placing a definition like

```
\setlength{\parindent}{0pt}
\setlength{\parskip}{1ex plus 0.5ex minus 0.2ex}
```

in the preamble of the input file¹² the appearance of paragraphs can be changed. These two lines increase the space between two paragraphs while setting the paragraph indent to zero. In continental Europe, paragraphs are often separated by some space and not indented.

If you want to indent a paragraph which is not indented, you can use

```
\indent
```

at the beginning of the paragraph¹³. Obviously this can only work, when `\parindent` is not set to zero.

To create a non indented paragraph you can use

```
\noindent
```

as the first command of the paragraph. This might come in handy, when you start a document with body text and not with a sectioning command.

¹²Between the `\documentclass` and the `\begin{document}` commands

¹³To indent the first paragraph after each section head, use the `indentfirst` package in the ‘tools’ bundle

4.2.3 Horizontal Space

L^AT_EX determines the spaces between words and sentences automatically. To add your own spaces in a place, you can use:

```
\hspace{length}
```

If such a space should be kept even if it falls at the end or the start of a line, use `\hspace*` instead of `\hspace`. The *length* is in the simplest case just a number plus a unit. The most important units are listed in Table 31.

```
This          is a space of 1.5 cm.      This\hspace{1.5cm}is a space
                                         of 1.5 cm.
```

The command

```
\stretch{n}
```

generates a special rubber width. It stretches, until all the remaining space on a line is filled up. If two `\hspace{\stretch{n}}` commands are issued on the same line, they grow according to the stretch factor.

```
x          x          x  x\hspace{\stretch{1}}
                                         x\hspace{\stretch{2}}x
```

4.2.4 Vertical Space

The space between paragraphs, sections, subsections, . . . is determined automatically by L^AT_EX. If necessary, additional vertical space *between two paragraphs* can be added with the command:

```
\vspace{length}
```

This command should normally be used between two empty lines. If the space should be preserved at the top or at the bottom of a page, use the starred version of the command `\vspace*` instead of `\vspace`.

The `\stretch` command in connection with `\pagebreak` can be used to typeset text on the last line of a page, or to centre text vertically on a page.

```
Some text \ldots
```

```
\vspace{\stretch{1}}
```

```
This goes onto the last line of the page.\pagebreak
```

Table 31: T_EX Units

mm	millimeter $\approx 1/25$ inch	⊐
cm	centimeter = 10 mm	┌───┐
in	inch ≈ 25 mm	┌──────────┐
pt	point $\approx 1/72$ inch $\approx \frac{1}{3}$ mm	⊐
em	approx width of an m in the current font	┌┐
ex	approx height of an x in the current font	└┘

Additional space between two lines of *the same* paragraph or within a table is specified with the

`\[length]`

command.

4.3 Bibliography

With the `thebibliography` environment you can produce a bibliography. Each entry starts with

`\bibitem{marker}`

The *marker* is then used to cite the book within the document.

`\cite{marker}`

The numbering of the entries is generated automatically. The parameter after the `\begin{thebibliography}` command sets the maximum width of these numbers.

Part1 [1] has proposed, that ...

Part1~\cite{pa} has
proposed, that \ldots

References

- [1] H. Partl: *German T_EX*, TUGboat Vol. 9, No. 1 (1988)

```
\begin{thebibliography}{99}
\bibitem{pa} H.~Partl:
\emph{German \TeX},
TUGboat Vol.~9, No.~1 (1988)
\end{thebibliography}
```


4.4 Indexing

A very useful feature of many books is their index. With L^AT_EX and the support program `makeidx`¹⁴ indexes can be generated quite easily. In this introduction, only the basic index generation commands will be explained. For a more in depth view please refer to *The L^AT_EX Companion* [3].

To enable the indexing feature of L^AT_EX the `makeidx` package must be loaded in the preamble with:

```
\usepackage{makeidx}
```

The special indexing commands must be enabled with:

```
\makeindex
```

The contents of the index is specified with

```
\index{key}
```

commands. Where *key* is the index entry. You enter the index commands at the points in the text where you want the final index entries pointing to. Table 32 explains the syntax of the *key* argument with several examples.

When the input file is processed with L^AT_EX, each `\index` command writes an appropriate index entry together with the current page number to a special file. The file has the same name as the L^AT_EX input file, but a different extension (`.ind`). This `.ind` file can then be processed with the `makeidx` program.

```
makeidx filename
```

The `makeindex` program generates a sorted index with the same base file

¹⁴On systems supporting filenames longer than 8 characters, the program may be called `makeindex`.

Table 32: Index Key Syntax Examples

Example	Index Entry	Comment
<code>\index{hello}</code>	hello, 1	Plain entry
<code>\index{hello!Peter}</code>	Peter, 3	Subentry under ‘hello’
<code>\index{Sam@\textsl{Sam}}</code>	<i>Sam</i> , 2	Formatted entry
<code>\index{Lin@\textbf{Lin}}</code>	Lin , 7	Formatted entry
<code>\index{Jenny textbf}</code>	Jenny, 3	Formatted page number
<code>\index{Joe textit}</code>	Joe, 5	Formatted page number

name, but this time with the extension `.idx`. If now the \LaTeX input file is processed again, this sorted index gets included into the document at the point where \LaTeX finds

```
\printindex
```

The `showidx` package which comes with $\LaTeX 2_\epsilon$ prints out all index entries in the left margin of the text. This is quite useful for proofreading a document and verifying the index.

4.5 Including EPS Graphics

With the `figure` and the `table` environment \LaTeX provides the basic facilities to work with floating bodies such as images or graphics.

There are also several possibilities to generate the actual graphics with basic \LaTeX or a \LaTeX extension package. But most users find them quite difficult to understand. Therefore this will not be explained any further in this manual. For more information on that subject please refer to *The \LaTeX Companion* [3] and the *\LaTeX Manual* [1].

A much easier way to get graphics into a document, is to generate them with a specialised software package¹⁵ and then include the finished graphics into the document. Here again, \LaTeX packages offer many ways to do that. In this introduction, only the inclusion of Encapsulated PostScript (EPS) graphics will be discussed, because it is quite easy to do and widely used. In order to use pictures in the EPS format, you must have a PostScript printer¹⁶ available for output.

A good set of commands for inclusion of graphics is provided in the `graphicx` package by D. P. Carlisle. It is part of a whole family of packages called the “graphics” bundle¹⁷.

Assuming you are working on a system with a PostScript printer available for output and with the `graphicx` package installed, you can use the following step by step guide to include a picture into your document:

1. Export the picture from your graphics program in EPS format.
2. Load the `graphicx` package in the preamble of the input file with

```
\usepackage[driver]{graphicx}
```

driver is the name of your “dvi to postscript” converter¹⁸. This information is required by the package because the actual graphics inclusion

¹⁵Such as XFig, CorelDraw!, Freehand, GNU Plot, ...

¹⁶Another possibility to output PostScript, is the GHOSTSCRIPT program available from CTAN:/tex-archive/support/ghostscript

¹⁷CTAN:/tex-archive/macros/latex/packages/graphics

¹⁸The most widely used program is called dvips.

is done by the printer driver. Knowing the *driver*, the `graphicx` package inserts the correct commands into the `.dvi` file for the printer driver to include the desired EPS graphics.

3. Use the command

```
\includegraphics[key=value, ...]{file}
```

to include *file* into your document. The optional parameter accepts a comma separated list of *keys* and associated *values*. The *keys* can be used to alter the width, height and rotation of the included graphic. Table 33 lists the most important keys.

Table 33: Key Names for `graphicx` Package

<code>width</code>	scale graphic to the specified width
<code>height</code>	scale graphic to the specified height
<code>angle</code>	rotate graphics clockwise

The following example code will hopefully make things clear:

```
\begin{figure}
\begin{center}
\includegraphics[angle=90, width=10cm]{test.eps}
\end{center}
\end{figure}
```

This includes the graphic stored in the file `test.eps`. The graphic is *first* rotated by 90 degrees and *then* scaled to the final width of 10 cm. The aspect ratio is 1.0 because no special height is specified.

For more information please refer to [8].

References

- [1] Leslie Lamport. *L^AT_EX: A Document Preparation System*. Addison-Wesley, Reading, Massachusetts, second edition, 1994, ISBN 0-201-52983-1.
- [2] Donald E. Knuth. *The T_EXbook*, Volume A of *Computers and Typesetting*, Addison-Wesley Publishing Company (1984), ISBN 0-201-13448-9.
- [3] Michel Goossens, Frank Mittelbach and Alexander Samarin. *The L^AT_EX Companion*. Addison-Wesley, Reading, Massachusetts, 1994, ISBN 0-201-54199-8.
- [4] Each L^AT_EX installation should provide a so-called *L^AT_EX Local Guide*, which explains the things which are special to the local system. It should be contained in file called `local.tex`. Unfortunately some lazy sysops do not provide such a document. In this case, go and ask you local L^AT_EX guru for help.
- [5] L^AT_EX3 Project Team. *L^AT_EX 2_ε for authors*. Comes with the L^AT_EX 2_ε distribution as `usrguide.tex`.
- [6] L^AT_EX3 Project Team. *L^AT_EX 2_ε for Class and Package writers*. Comes with the L^AT_EX 2_ε distribution as `clsguide.tex`.
- [7] L^AT_EX3 Project Team. *L^AT_EX 2_ε Font selection*. Comes with the L^AT_EX 2_ε distribution as `fntguide.tex`.
- [8] D. P. Carlisle. *Packages in the ‘graphics’ bundle*. Comes with the ‘graphics’ bundle as `grfguide.tex`, available from the same source your L^AT_EX distribution came from.

Index

- \!, 34
- " , 17
- \$, 30
- ' , 32
- \(, 30
- \) , 30
- \ , 31, 34
- , 17
- , 17
- \- , 17
- , 17
- , 17
- ., space after, 20
- ..., 18
- \@ , 20
- \[, 30
- \\ , 16, 23, 24, 26, 48
- * , 16
- \ , 31
- \] , 30
- ^ , 32
- , 32
- | , 26
- ~ , 20

- A4 paper, 13
- A5 paper, 13
- accent, 18
- acute, 19
- advantages of L^AT_EX, 7
- æ, 19
- amssymb, 37
- amstex, 34
- \and, 21
- \appendix, 20, 21
- array, 35
- arrow symbols, 32
- article class, 12
- \atop, 33
- \author, 21
- \authors, 21

- B5 paper, 13
- babel, 19
- backslash, 9
- base font size, 13
- \begin, 23
- \bibitem, 48
- bibliography, 48
- \Big, 34
- \big, 34
- \Bigg, 34
- \bigg, 34
- \bmod, 33
- bold face, 44
- book class, 12
- braces, 33

- \caption, 28
- \cdots, 34
- center, 24
- \chapter, 20
- \choose, 33
- \cite, 48
- \clearpage, 29
- coloured text, 12
- comma, 18
- commands, 9
- \!, 34
- \(, 30
- \) , 30
- \ , 31, 34
- \- , 17
- \@ , 20
- \[, 30
- \\ , 16, 23, 24, 26, 48
- * , 16
- \ , 31
- \] , 30
- \and, 21
- \appendix, 20, 21
- \atop, 33
- \author, 21

<code>\authors</code> , 21	<code>\makeindex</code> , 49
<code>\begin</code> , 23	<code>\maketitle</code> , 21
<code>\bibitem</code> , 48	<code>\mathbf</code> , 45
<code>\Big</code> , 34	<code>\mathcal</code> , 45
<code>\big</code> , 34	<code>\mathit</code> , 45
<code>\Bigg</code> , 34	<code>\mathnormal</code> , 45
<code>\bigg</code> , 34	<code>\mathrm</code> , 36, 45
<code>\bmod</code> , 33	<code>\mathsf</code> , 45
<code>\caption</code> , 28	<code>\mathtt</code> , 45
<code>\cdots</code> , 34	<code>\mbox</code> , 17, 18
<code>\chapter</code> , 20	<code>\multicolumn</code> , 27
<code>\choose</code> , 33	<code>\newline</code> , 16
<code>\cite</code> , 48	<code>\newpage</code> , 16
<code>\clearpage</code> , 29	<code>\noindent</code> , 46
<code>\date</code> , 21	<code>\nolinebreak</code> , 16
<code>\ddots</code> , 34	<code>\nonumber</code> , 35, 36
<code>\displaystyle</code> , 36	<code>\nopagebreak</code> , 16
<code>\documentclass</code> , 11, 12	<code>\normalsize</code> , 45
<code>\emph</code> , 22, 44	<code>\overbrace</code> , 32
<code>\end</code> , 23	<code>\overleftarrow</code> , 32
<code>\footnote</code> , 22	<code>\overline</code> , 32
<code>\footnotesize</code> , 45	<code>\overrightarrow</code> , 32
<code>\frac</code> , 33	<code>\pagebreak</code> , 16
<code>\frenchspacing</code> , 20	<code>\pageref</code> , 22
<code>\hline</code> , 26	<code>\pagestyle</code> , 15
<code>\hspace</code> , 47	<code>\paragraph</code> , 20
<code>\Huge</code> , 45	<code>\parindent</code> , 46
<code>\huge</code> , 45	<code>\parskip</code> , 46
<code>\hyphenation</code> , 16	<code>\part</code> , 20, 21
<code>\includegraphics</code> , 51	<code>\pmod</code> , 33
<code>\indent</code> , 46	<code>\printindex</code> , 50
<code>\index</code> , 49	<code>\quad</code> , 31, 34
<code>\int</code> , 33	<code>\quad</code> , 34
<code>\item</code> , 24	<code>\ref</code> , 22, 30
<code>\label</code> , 22, 30	<code>\right</code> , 34
<code>\LARGE</code> , 45	<code>\scriptscriptstyle</code> , 36
<code>\Large</code> , 45	<code>\scriptsize</code> , 45
<code>\large</code> , 45	<code>\scriptstyle</code> , 36
<code>\ldots</code> , 18, 34	<code>\section</code> , 20
<code>\left</code> , 34	<code>\setlength</code> , 46
<code>\linebreak</code> , 16	<code>\sloppy</code> , 16
<code>\linespread</code> , 46	<code>\small</code> , 45
<code>\listoffigures</code> , 29	<code>\sqrt</code> , 32
<code>\listoftables</code> , 29	<code>\stretch</code> , 47

- `\ subparagraph`, 20
- `\ subsection`, 20
- `\ subsubsection`, 20
- `\ sum`, 33
- `\ tableofcontents`, 21
- `\ textbf`, 44
- `\ textit`, 44
- `\ textmd`, 44
- `\ textnormal`, 44
- `\ textrm`, 36, 44
- `\ textsc`, 44
- `\ textsf`, 44
- `\ textsl`, 44
- `\ textstyle`, 36
- `\ texttt`, 44
- `\ textup`, 44
- `\ thispagestyle`, 15
- `\ tiny`, 45
- `\ title`, 21
- `\ underbrace`, 32
- `\ underline`, 32
- `\ usepackage`, 12, 19
- `\ vdots`, 34
- `\ vec`, 32
- `\ verb`, 25
- `\ vspace`, 47
- `\ widehat`, 32
- `\ widetilde`, 32
- comments, 10
- cross references, 22
- curly braces, 10, 44
- dash, 17, 32
- `\ date`, 21
- `dcolumn`, 27
- `\ ddots`, 34
- decimal alignment, 26
- delimiters, 33
- description, 24
- diagonal dots, 34
- dimensions, 47
- `displaymath`, 30
- `\ displaystyle`, 36
- document font size, 13
- document title, 13
- `\ documentclass`, 11, 12
- dotless i and j, 19
- double line spacing, 46
- double sided, 13
- ellipsis, 18
- em-dash, 18
- `\ emph`, 22, 44
- emphasise, 22
- empty, 15
- en-dash, 18
- Encapsulated PostScript, 50
- `\ end`, 23
- enumerate, 24
- environment, 23
- environments
 - array, 35
 - center, 24
 - description, 24
 - `displaymath`, 30
 - enumerate, 24
 - `eqnarray`, 35
 - equation, 30
 - figure, 27, 28
 - `flushleft`, 24
 - `flushright`, 24
 - itemize, 24
 - math, 30
 - quotation, 23
 - quote, 23
 - table, 27, 28
 - tabular, 25
 - thebibliography, 48
 - verbatim, 25
 - verse, 23
- `eqnarray`, 35
- equation, 30
- equation system, 35
- executive paper, 13
- exponent, 32
- exscale, 34
- figure, 27, 28

- floating bodies, 27
- `flushleft`, 24
- `flushright`, 24
- font, 44
- font encoding, 14
- font size, 44, 45
- footer, 15
- `\footnote`, 22
- `\footnotesize`, 45
- formulae, 30
- `\frac`, 33
- fraction, 33
- `\frenchspacing`, 20
- German, 19
- GhostScript, 50
- graphics, 12, 50
- `graphicx`, 50
- grave, 19
- Greek letters, 31
- grouping, 44
- header, 15
- `texttt`headings, 15
- `\hline`, 26
- horizontal
 - brace, 32
 - dots, 34
 - line, 32
 - space, 47
- `\hspace`, 47
- `\Huge`, 45
- `\huge`, 45
- hyphen, 18
- `\hyphenation`, 16
- hyphenation rules, 19
- `\includegraphics`, 51
- `\indent`, 46
- `indentfirst`, 46
- index, 49
- `\index`, 49
- input file, 11
- `\int`, 33
- integral operator, 33
- international, 19
- italic, 44
- `\item`, 24
- `itemize`, 24
- Knuth, Donald E., 6
- `\label`, 22, 30
- Lamport, Leslie, 6
- language, 19
- `\LARGE`, 45
- `\Large`, 45
- `\large`, 45
- \LaTeX 2.09, 6
- \LaTeX 2 ϵ , 6
- \LaTeX 3, 6, 8
- `\ldots`, 18, 34
- `\left`, 34
- left aligned, 24
- legal paper, 13
- letter paper, 13
- ligature, 18
- line spacing, 46
- linebreak, 16
- `\linebreak`, 16
- `\linespread`, 46
- `\listoffigures`, 29
- `\listoftables`, 29
- long equations, 35
- `makeidx`, 49
- `makeidx` package, 49
- `\makeindex`, 49
- `makeindex` program, 49
- `\maketitle`, 21
- `math`, 30
- math font size, 36
- math spacing, 34
- `\mathbf`, 45
- `\mathcal`, 45
- mathematical
 - accents, 32
 - delimiter, 34
 - functions, 33
 - minus, 17

- mathematics, 30
- `\mathit`, 45
- `\mathnormal`, 45
- `\mathrm`, 36, 45
- `\mathsf`, 45
- `\mathtt`, 45
- `\mbox`, 17, 18
 - minus sign, 18
 - Mittelbach, Frank, 6
 - modulo function, 33
- `\multicolumn`, 27
- `\newline`, 16
- `\newpage`, 16
- `\noindent`, 46
- `\nolinebreak`, 16
- `\nonumber`, 35, 36
- `\nopagebreak`, 16
- `\normalsize`, 45
- œ, 19
- option, 12
- optional parameters, 10
- `\overbrace`, 32
 - overflow hbox, 16
- `\overleftarrow`, 32
- `\overline`, 32
- `\overrightarrow`, 32
- package, 10, 12
- packages
 - amssymb, 37
 - amstex, 34
 - babel, 19
 - dccolumn, 27
 - exscale, 34
 - graphicx, 50
 - indentfirst, 46
 - makeidx, 49
 - showidx, 50
- page style, 15
 - empty, 15
 - headings, 15
 - plain, 15
- `\pagebreak`, 16
- `\pageref`, 22
- `\pagestyle`, 15
 - paper size, 13
- `\paragraph`, 20
 - parameter, 10
- `\parindent`, 46
- `\parskip`, 46
- `\part`, 20, 21
 - period, 18
 - placement specifier, 28
 - plain, 15
- `\pmod`, 33
 - PostScript, 50
 - preamble, 10
- `\printindex`, 50
- `\quad`, 31, 34
- `\quadr`, 34
 - quotation, 23
 - quotation marks, 17
 - quote, 23
- `\ref`, 22, 30
 - report class, 12
 - reserved characters, 9
- `\right`, 34
 - right aligned, 24
 - roman, 44
- sans serif, 44
- scandinavian letters, 19
- `\scriptscriptstyle`, 36
- `\scriptsize`, 45
- `\scriptstyle`, 36
- `\section`, 20
- `\setlength`, 46
 - showidx, 50
 - single sided, 13
 - slanted, 44
- `\sloppy`, 16
- `\small`, 45
 - small caps, 44
 - space, 8
 - special character, 18
- `\sqrt`, 32

- square brackets, 10
- square root sign, 32
- `\stretch`, 47
- structure, 10
- `\subparagraph`, 20
- subscript, 32
- `\subsection`, 20
- `\subsubsection`, 20
- `\sum`, 33
- sum operator, 33

- table, 25
- `table`, 27, 28
- table of contents, 21
- `\tableofcontents`, 21
- tabular, 25
- `\textbf`, 44
- `\textit`, 44
- `\textmd`, 44
- `\textnormal`, 44
- `\textrm`, 36, 44
- `\textsc`, 44
- `\textsf`, 44
- `\textsl`, 44
- `\textstyle`, 36
- `\texttt`, 44
- `\textup`, 44
- `thebibliography`, 48
- three dots, 34
- `\thispagestyle`, 15
- tilde, 32
- tilde (~), 20
- `\tiny`, 45
- title, 13, 21
- `\title`, 21
- two column, 13

- umlaut, 19
- `\underbrace`, 32
- underfull hbox, 16
- `\underline`, 32
- units, 47, 48
- upright, 44
- `\usepackage`, 12, 19

- `\vdots`, 34
- `\vec`, 32
- vectors, 32
- `\verb`, 25
- verbatim, 25
- verse, 23
- vertical dots, 34
- vertical space, 47
- `\vspace`, 47

- whitespace, 8
 - after commands, 9
 - at the start of a line, 8
- `\widehat`, 32
- `\widetilde`, 32
- WYSIWYG, 6, 7